

**MILK OF MAGNESIA- milk of magnesia suspension**  
**Cardinal Health 107, LLC**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**Milk of Magnesia**

**Drug Facts**

**Active ingredient (in each 5 mL)**

Magnesium hydroxide 400 mg

**Purpose**

Saline laxative

**Uses**

**As an Antacid**

- heartburn
- upset/sour stomach
- acid indigestion

**As a Laxative (usually within ½ to 6 hours)**

- occasional constipation (irregularity)

**Warnings**

**Ask a doctor before use if you have**

- kidney disease
- a magnesium-restricted diet
- stomach pain, nausea, or vomiting
- a sudden change in bowel habits that lasts over 14 days

**Ask a doctor or pharmacist before use if you are** taking a prescription drug. This product may interact with certain prescription drugs.

**Stop use and ask a doctor if**

- you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

## Directions

### As an Antacid

- do not exceed the maximum recommended daily dose in a 24 hour period
- shake well before use
- can be taken with water
- mL = milliliter

adults and children 12 years of age and over	5 to 15 mL (1 to 3 teaspoonfuls)
children under 12 years of age	ask a doctor

### As a Laxative

- do not exceed the maximum recommended daily dose of 60 mL in a 24 hour period
- shake well before use
- dose may be taken once a day preferably at bedtime, in divided doses, or as directed by a doctor. Drink a full glass (8 oz) of liquid with each dose.
- mL = milliliter; TBSP = Tablespoon

adults and children 12 years and older	30 mL (2 TBSP) to 60 mL (4 TBSP)
children 6 - 11 years	15 mL (1 TBSP) to 30 mL (2 TBSP)
children under 6 years	ask a doctor

## Other information

- **each teaspoonful (5 mL) contains:** magnesium 400 mg
- store at room temperature, 20° - 25°C (68° - 77°F). Avoid freezing.
- Milk of Magnesia USP (white suspension, spearmint flavor) is supplied in the following oral dosage form:

---

Overbagged with 5 x 30 mL unit dose cups  
in each bag, NDC 55154-9403-5.

---

## Inactive ingredients

flavoring, hydroxypropyl methylcellulose, methylparaben, potassium citrate, propylene

glycol, propylparaben, purified water, antifoam af emulsion, sodium saccharin, and sorbitol.

**Questions or comments?**

**Call 1-800-845-8210**

**MANUFACTURED BY**

***Pharmaceutical***

***Associates, Inc.***

Greenville, SC 29605

Distributed by:

Cardinal Health

Dublin, OH 43017

L33325171020

**Principal Display Panel**

Milk of Magnesia USP

5 Cups



NDC 55154-9403-5

# M33

**MILK OF MAGNESIA USP**

**5 CUPS**

Delivers 30 mL

Each 30 mL contains:

Magnesium Hydroxide 2400 mg

Antacid, Saline Laxative

SHAKE WELL

See product insert for prescribing information, precautions and warnings.

STORAGE: Store at 20° to 25° C (68° - 77° F)  
[See USP Controlled Room Temperature]

PROTECT FROM FREEZING.

WARNING: This Unit Dose package is not child resistant and is Intended for Institutional Use Only.  
Keep this and all drugs out of the reach of children.

Pharmaceutical Associates, Inc.

201 Delaware Street

Greenville, SC 29605

(800) 845-8210

www.paipharma.com

DURA-DOSE®

Distributed by Cardinal Health

Dublin, OH 43017

L33325171020

LOT #: XXXXXXXXXX    EXP. DATE: XX/XX/XX

## MILK OF MAGNESIA

milk of magnesia suspension

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:55154-9403(NDC:0121-0431)
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>MAGNESIUM HYDROXIDE</b> (UNII: NBZ3QY004S) (HYDROXIDE ION - UNII:9159UV381P)	MAGNESIUM HYDROXIDE	2400 mg in 30 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>HYPROMELLOSE, UNSPECIFIED</b> (UNII: 3NXW29V3WO)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>POTASSIUM CITRATE</b> (UNII: EE90ONI6FF)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SACCHARIN SODIUM</b> (UNII: SB8ZUX40TY)	
<b>SORBITOL</b> (UNII: 506T60A25R)	

## Product Characteristics

<b>Color</b>	WHITE	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	SPEARMINT	<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55154-9403-5	5 in 1 BAG	06/07/2011	
1		30 mL in 1 CUP, UNIT-DOSE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part331	06/07/2011	

**Labeler** - Cardinal Health 107, LLC (118546603)

Revised: 12/2022

Cardinal Health 107, LLC