

MECLIZINE HCL 12.5 MG- meclizine hcl 12.5 mg tablet
Reliable 1 Laboratories LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Meclizine HCL 12.5

Drug Facts

Active ingredient (in each caplet)

Meclizine HCL 12.5 mg

Purpose

Antiemetic

Uses

- prevents and treats nausea, vomiting, or dizziness due to motion sickness
- for other uses, consult your doctor

Warnings

Ask a doctor before use if you have

- glaucoma
- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

When using this product

- you may get drowsy
- avoid alcoholic drinks
- alcohol, sedatives and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Ask a doctor before use if you have

- glaucoma
- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

When using this product

- you may get drowsy
- avoid alcoholic drinks
- alcohol, sedatives and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- **adults & children 12 years and over:** 2-4 caplets once daily
- **children under 12 years:** ask a doctor

Other information

- **each caplet contains:** calcium 51 mg
- store at room temperature 15°-30°C (59°-86°F)
- This is a bulk package. Dispense contents with a child-resistant closure in a tight, light-resistant container as defined in the USP.

Inactive ingredients

croscarmellose sodium, dicalcium phosphate, magnesium stearate, microcrystalline cellulose, silicon dioxide, stearic acid

Questions or comments?

call **516-341-0666**, 8:30 am - 4:30 pm ET, Monday - Friday

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

Distributed by: **Reliable 1 Laboratoires LLC, Valley Stream, NY 11580**

www.reliable1labs.com

NDC 69618-027-10

Meclizine HCL 12.5 mg

ANTIEMETIC

1000 CAPLETS

THIS PACKAGE FOR HOUSEHOLDS WITHOUT YOUNG CHILDREN

NDC 69618-027-10



Meclizine HCl

12.5 mg
ANTIEMETIC

1000 CAPLETS

THIS PACKAGE FOR HOUSEHOLDS
WITHOUT YOUNG CHILDREN

Drug Facts	Purpose Meclizine HCl 12.5 mg.....Antiemetic
Active ingredient (in each caplet)	
Uses	prevents and treats nausea, vomiting, or dizziness due to motion sickness ■ for other uses, consult your doctor
Warnings	Ask a doctor before use if you have ■ glaucoma ■ a breathing problem such as emphysema or chronic bronchitis ■ trouble urinating due to an enlarged prostate gland Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers
When using this product	you may get drowsy ■ avoid alcoholic drinks ■ alcohol, sedatives and tranquilizers may increase drowsiness ■ be careful when driving a motor vehicle or operating machinery If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.
Directions	adults & children 12 years and over: 2-4 caplets once daily ■ children under 12 years: ask a doctor
Other information	each caplet contains: calcium 51 mg ■ store at room temperature 15°-30°C (59°-86°F) ■ This is a bulk package. Dispense contents with a child-resistant closure in a tight, light-resistant container as defined in the USP.
Inactive ingredients	croscarmellose sodium, dicalcium phosphate, magnesium stearate, microcrystalline cellulose, silicon dioxide, stearic acid
Questions or comments?	call 516-341-0666, 8:30 am - 4:30 pm ET, Monday - Friday

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

Distributed by: Reliable 1 Laboratories LLC, Valley Stream, NY 11580
www.reliable1labs.com



Lot No.: 3 6961802710 7 Rev. 0715

Exp. Date:

MECLIZINE HCL 12.5 MG

meclizine hcl 12.5 mg tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69618-027
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MECLIZINE HYDROCHLORIDE (UNII: HDP7W44CIO) (MECLIZINE - UNII:3L5TQ84570)	MECLIZINE HYDROCHLORIDE	12.5 mg

Inactive Ingredients

Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
CALCIUM PHOSPHATE, DIBASIC, ANHYDROUS (UNII: L11K75P92J)	

Product Characteristics

Color	white	Score	2 pieces
Shape	OVAL	Size	13mm
Flavor		Imprint Code	AP;117
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date

1	NDC:69618-027-01	100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/01/2015	
2	NDC:69618-027-10	1000 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/01/2015	



MECLIZINE HCL 12.5 MG CAPLET

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part336	11/01/2015	

Labeler - Reliable 1 Laboratories LLC (079718111)

Registrant - Reliable 1 Laboratories LLC (079718111)