

# **AEROWOUND BLOOD CLOTTING FIRST AID- benzethonium chloride and lidocaine aerosol, spray**

**Aero Healthcare, LLC.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

## **AEROWOUND BLOOD CLOTTING SPRAY**

### **Active Ingredients**

Benzethonium Chloride 0.2% w/w

Lidocaine 4% w/w

### **Purpose**

Topical Antiseptic

Topical Anesthetic

### **Uses**

for help in control of superficial bleeding and temporary relief of pain of:

- minor cuts and scrapes
- minor burns

### **Warnings**

**☐For external use only**

#### **Flammable**

- keep away from flame
- contents under pressure
- do not puncture or incinerate
- do not expose to temperatures above 120°F

#### **☐Do not use**

- in or near mucous membranes
- on serious burns
- on raw surfaces
- on deep puncture wounds
- for a prolonged period of time
- on blistered areas
- on a large portion of the body
- on animal bites

#### **Stop use and ask doctor if**

- redness, swelling, or irritation occurs
- infection occurs
- condition persists or worsens
- symptoms persist for more than 7 days

## Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

### Directions

- shake can well before using
- hold 6-8 inches from moist injured area
- spray until area is covered
- for adult use only
- not intended for use on children
- scab-like cover will gradually disappear as healing takes place or may be removed with soap and water

### Inactive Ingredients

Isobutane, Isopropyl Myristate, Karaya, n-Butane, Propane, Silica, Silicone, Sorbitan Monooleate, Talc, Tragacanth

### Principal Display

**HELPS CONTROL BLEEDING**

USE STRICTLY AS DIRECTED  
KEEP OUT OF REACH OF CHILDREN

**AEROWOUND**

**BLOOD CLOTTING SPRAY**

Helps control superficial bleeding. Protects and temporarily eases pain of minor cuts, burns and abrasions. Helps prevent infection.

**AEROWOUND**

**NET WT. 3oz. (85g)**

FLAMMABLE CONTENTS UNDER PRESSURE  
CONTAINS NO FLUOROCARBONS.

470328

AW550US

REF CODE: AW550US  
Manufactured for AERO HEALTHCARE  
Congers, NY 10920  
www.aerohealthcare.us.com  
MADE IN USA

120°

9 341394 006768

Drug Facts	
<b>Active Ingredients</b>	<b>Purpose</b>
Benzethonium Chloride 0.2% w/w	Topical Antiseptic
Lidocaine 4% w/w	Topical Anesthetic
<b>Uses</b> for help in control of superficial bleeding and temporary relief of pain of: ■ minor cuts and scrapes ■ minor burns	
<b>Warnings</b> For external use only	
<b>Flammable:</b> ■ keep away from fire or flame ■ contents under pressure ■ do not puncture or incinerate container ■ do not expose to temperatures above 120°F	
<b>Do not use:</b> ■ in or near mucous membranes ■ on serious burns ■ on raw surfaces ■ on deep puncture wounds ■ for a prolonged period of time ■ on blistered areas ■ on a large portion of the body ■ on animal bites	
<b>Stop use and ask a doctor if:</b> ■ redness, swelling, or irritation occurs ■ infection occurs ■ condition persists or worsens ■ symptoms persist for more than 7 days	
<b>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</b>	
<b>Directions</b>	
■ shake can well before using ■ hold can 6-8 inches from injured area ■ spray until area is covered ■ for adult use only ■ not intended for use on children ■ scab-like cover will gradually disappear as healing takes place or may be removed with soap and water	
<b>Inactive Ingredients</b>	
Isobutane, Isopropyl Myristate, Karaya, n-Butane, Propane, Silica, Silicone, Sorbitan Monooleate, Talc, Tragacanth	

## AEROWOUND BLOOD CLOTTING FIRST AID

benzethonium chloride and lidocaine aerosol, spray

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:55305-114(NDC:52982-106)
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	756.5 mg in 85 g
BENZETHONIUM CHLORIDE (UNII: PH41D05744) (BENZETHONIUM - UNII:1VU15B70BP)	BENZETHONIUM CHLORIDE	76.5 mg in 85 g

**Inactive Ingredients**

Ingredient Name	Strength
ISOBUTANE (UNII: BXR49TP611)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
KARAYA GUM (UNII: 73W9IQY50Q)	
BUTANE (UNII: 6LV4FOR43R)	
PROPANE (UNII: T75W9911L6)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
3-(TRIETHOXYSYL)PROPYLAMINE (UNII: L8S6UBW552)	
SORBITAN MONOLEATE (UNII: 06XEA2VD56)	
TALC (UNII: 7SEV7J4R1U)	
TRAGACANTH (UNII: 294435702O)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55305-114-10	85 g in 1 BOTTLE, SPRAY		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	08/20/2014	

**Labeler** - Aero Healthcare, LLC. (008186174)**Registrant** - Dixon Investments, Inc. (115315822)**Establishment**

Name	Address	ID/FEI	Business Operations
Dixon Investments, Inc.		115315822	manufacture(55305-114)