

**COLOSODE - taraxacum officinale, berberis vulgaris, rhamnus purshiana, rheum, cina, arsenicum album, aloe socotrina, colostrum, gallbladder, hepar bovinum, liquid**  
**Apotheca Company**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----  
**Colosode**

**ACTIVE INGREDIENTS:** Taraxacum officinale 1X, Berberis vulgaris 3X, Rhamnus purshiana 3X, Rheum 3X, Cina 3X, 6X, 12X, Arsenicum album 6X, Aloe socotrina 6X, 12X, 30X, Colostrum 8X, Gallbladder 8X, 12X, Hepar bovinum 8X, 12X, Carbo vegetabilis 8X, 30X, Intestine 8X, 30X, Aranea diadema 12X, Carbo animalis 12X, Enterococcinum 12X, Mandragora officinarum 12X, Mercurius solubilis 12X, Selenium metallicum 12X, Veratrum album 12X, Lactobacillus 15X, Clostridium botulinum 30X, 60X, Proteus mirabilis 30X, 60X, Salmonella enteritidis 30X, 60X, Pseudomonas aeruginosa 30X, 60X, Yersinia enterocolitica 30X, 60X, Indolum 30X, 60X, Clostridium perfringens 15C, 30C, 60C, Escherchia coli 32C, Giardia lamblia 12C, 30C, 60C, 200C.

**INDICATIONS:** Aids in the relief of acute food poisoning, and removal of bowel toxin residue.

**WARNINGS:** Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

If pregnant or breast-feeding, ask a health professional before use.

Do not use if tamper evident seal is broken or missing.

**DIRECTIONS:** 10 drops orally, 3 times a day. Consult a physician for use in children under 12 years of age.

**INACTIVE INGREDIENTS:** Demineralized water, 25% Ethanol.

**KEEP OUT OF REACH OF CHILDREN.** In case of overdose, get medical help or contact a Poison Control Center right away.

**INDICATIONS:** Aids in the relief of acute food poisoning, and removal of bowel toxin residue.

**Distributed by**

**SYNERGY FORMULAS, INC.**

251 West Road

Campobello, South Carolina

# Synergy Formulas

## COLOSODE

### HOMEOPATHIC

2 FL OZ (60 ml)

**DIRECTIONS:**

10 drops orally, 3 times a day.  
Consult a physician for use in children under 12 years of age.

**INDICATIONS:**

Aids in the relief of acute food poisoning, and removal of bowel toxin residue.

**WARNINGS:**

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. If pregnant or breast-feeding, ask a health professional before use. Do not use if tamper evident seal is broken or missing.

LOT: XXXXX

Distributed by:  
**SYNERGY FORMULAS, INC.**  
251 West Road  
Campobello, SC 29322



## COLOSODE

### HOMEOPATHIC

**INACTIVE INGREDIENTS:**

Demineralized Water,  
25% Ethanol

**2 FL OZ (60 ml)**

**ACTIVE INGREDIENTS:**

Taraxacum Officinale MT,  
Berberis Vulgaris 3X,  
Rhamnus Purshiana 3X,  
Rheum 3X, Cina 3X, 6X, 12X,  
Arsenicum Album 6X,  
Aloe Socotrina 6X, 12X, 30X,  
Colostrum 8X, Gallbladder 8X, 12X,  
Hepar Bovinum 8X, 12X  
Carbo Vegetabilis 8X, 30X,  
Intestine 8X, 30X,  
Aranea Diadema 12X,  
Carbo Animalis 12X,  
Enterococcinum 12X,  
Mandragora Officinarum 12X,  
Mercurius Solubilis 12X,  
Selenium Metallicum 12X,  
Veratrum Album 12X,  
Lactobacillus 15X,  
Clostridium Botulinum 30X, 60X,  
Proteus Mirabilis 30X, 60X,  
Pseudomonas Aeruginosa 30X, 60X,  
Salmonella Enteritidis 30X, 60X,  
Yersinia Enterocolitica 30X, 60X,  
Indolum 30X, 60X, 200X,  
Giardia Lambdia 12C, 30C, 60C, 200C,  
Clostridium Perfringens 15C, 30C, 60C,  
Escherichia Coli 32C.

## COLOSODE

taraxacum officinale, berberis vulgaris, rhamnus purshiana, rheum, cina, arsenicum album, aloe socotrina, colostrum, gallbladder, hepar bovinum, liquid

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:57520-0349
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TARAXACUM OFFICINALE (UNII: 39981FM375) (TARAXACUM OFFICINALE - UNII:39981FM375)	TARAXACUM OFFICINALE	1 [hp_X] in 1 mL
BERBERIS VULGARIS ROOT BARK (UNII: 1TH8Q20J0U) (BERBERIS VULGARIS ROOT BARK - UNII:1TH8Q20J0U)	BERBERIS VULGARIS ROOT BARK	3 [hp_X] in 1 mL
FRANGULA PURSHIANA BARK (UNII: 4VBP01X99F) (FRANGULA PURSHIANA BARK - UNII:4VBP01X99F)	FRANGULA PURSHIANA BARK	3 [hp_X] in 1 mL
RHEUM OFFICINALE ROOT (UNII: A47JP5ZG9M) (RHEUM OFFICINALE ROOT - UNII:A47JP5ZG9M)	RHEUM OFFICINALE ROOT	3 [hp_X] in 1 mL
ARTEMISIA CINA FLOWER (UNII: 28M1820ACT) (ARTEMISIA CINA FLOWER - UNII:28M1820ACT)	ARTEMISIA CINA FLOWER	12 [hp_X] in 1 mL

<b>ARSENIC TRIOXIDE</b> (UNII: S7V92P67HO) (ARSENIC TRIOXIDE - UNII:S7V92P67HO)	ARSENIC TRIOXIDE	6 [hp_X] in 1 mL
<b>ALOE</b> (UNII: V5VD430YW9) (ALOE - UNII:V5VD430YW9)	ALOE	30 [hp_X] in 1 mL
<b>SUS SCROFA GALLBLADDER</b> (UNII: B6A98VOI9I) (SUS SCROFA GALLBLADDER - UNII:B6A98VOI9I)	SUS SCROFA GALLBLADDER	12 [hp_X] in 1 mL
<b>BEEF LIVER</b> (UNII: W8N8R55022) (BEEF LIVER - UNII:W8N8R55022)	BEEF LIVER	12 [hp_X] in 1 mL
<b>ACTIVATED CHARCOAL</b> (UNII: 2P3VWU3H10) (ACTIVATED CHARCOAL - UNII:2P3VWU3H10)	ACTIVATED CHARCOAL	30 [hp_X] in 1 mL
<b>PORK INTESTINE</b> (UNII: 40GM0R60L) (PORK INTESTINE - UNII:40GM0R60L)	PORK INTESTINE	30 [hp_X] in 1 mL
<b>ESCHERICHIA COLI</b> (UNII: 514B9K0L10) (ESCHERICHIA COLI - UNII:514B9K0L10)	ESCHERICHIA COLI	32 [hp_C] in 1 mL
<b>ARANEUS DIADEMATUS</b> (UNII: 6T6CO7R3Z5) (ARANEUS DIADEMATUS - UNII:6T6CO7R3Z5)	ARANEUS DIADEMATUS	12 [hp_X] in 1 mL
<b>CARBO ANIMALIS</b> (UNII: 279O8I0433) (CARBO ANIMALIS - UNII:279O8I0433)	CARBO ANIMALIS	12 [hp_X] in 1 mL
<b>ENTEROCOCCUS FAECALIS</b> (UNII: 15E04LZ9CT) (ENTEROCOCCUS FAECALIS - UNII:15E04LZ9CT)	ENTEROCOCCUS FAECALIS	12 [hp_X] in 1 mL
<b>MANDRAGORA OFFICINARUM ROOT</b> (UNII: I2XCB174VB) (MANDRAGORA OFFICINARUM ROOT - UNII:I2XCB174VB)	MANDRAGORA OFFICINARUM ROOT	12 [hp_X] in 1 mL
<b>MERCURIUS SOLUBILIS</b> (UNII: 324Y4038G2) (MERCURIUS SOLUBILIS - UNII:324Y4038G2)	MERCURIUS SOLUBILIS	12 [hp_X] in 1 mL
<b>SELENIUM</b> (UNII: H6241UJ22B) (SELENIUM - UNII:H6241UJ22B)	SELENIUM	12 [hp_X] in 1 mL
<b>VERATRUM ALBUM ROOT</b> (UNII: QNS6W5US1Z) (VERATRUM ALBUM ROOT - UNII:QNS6W5US1Z)	VERATRUM ALBUM ROOT	12 [hp_X] in 1 mL
<b>SALMONELLA ENTERICA SUBSP. ENTERICA SEROVAR ENTERITIDIS</b> (UNII: Y3V16D4PV4) (SALMONELLA ENTERICA SUBSP. ENTERICA SEROVAR ENTERITIDIS - UNII:Y3V16D4PV4)	SALMONELLA ENTERICA SUBSP. ENTERICA SEROVAR ENTERITIDIS	60 [hp_X] in 1 mL
<b>PROTEUS MIRABILIS</b> (UNII: C177VR41DV) (PROTEUS MIRABILIS - UNII:C177VR41DV)	PROTEUS MIRABILIS	60 [hp_X] in 1 mL
<b>PSEUDOMONAS AERUGINOSA</b> (UNII: Y793W5V55N) (PSEUDOMONAS AERUGINOSA - UNII:Y793W5V55N)	PSEUDOMONAS AERUGINOSA	60 [hp_X] in 1 mL
<b>INDOLE</b> (UNII: 8724FJW4M5) (INDOLE - UNII:8724FJW4M5)	INDOLE	200 [hp_X] in 1 mL
<b>CLOSTRIDIUM PERFRINGENS</b> (UNII: OVP6XX033E) (CLOSTRIDIUM PERFRINGENS - UNII:OVP6XX033E)	CLOSTRIDIUM PERFRINGENS	60 [hp_C] in 1 mL
<b>BOTULINUM TOXIN TYPE A</b> (UNII: E211KPY694) (BOTULINUM TOXIN TYPE A - UNII:E211KPY694)	BOTULINUM TOXIN TYPE A	60 [hp_X] in 1 mL
<b>GIARDIA LAMBLIA</b> (UNII: 89IEJ09R73) (GIARDIA LAMBLIA - UNII:89IEJ09R73)	GIARDIA LAMBLIA	200 [hp_C] in 1 mL
<b>YERSINIA ENTEROCOLITICA</b> (UNII: AUL7Y5Z806) (YERSINIA ENTEROCOLITICA - UNII:AUL7Y5Z806)	YERSINIA ENTEROCOLITICA	60 [hp_X] in 1 mL
<b>COLOSTRUM HUMAN</b> (UNII: VB6F65I6F5) (COLOSTRUM HUMAN - UNII:VB6F65I6F5)	COLOSTRUM HUMAN	8 [hp_X] in 1 mL
<b>SUS SCROFA GALLBLADDER</b> (UNII: B6A98VOI9I) (SUS SCROFA GALLBLADDER - UNII:B6A98VOI9I)	SUS SCROFA GALLBLADDER	12 [hp_X] in 1 mL
<b>LACTOBACILLUS ACIDOPHILUS</b> (UNII: 1PRR1V42V5) (LACTOBACILLUS ACIDOPHILUS - UNII:1PRR1V42V5)	LACTOBACILLUS ACIDOPHILUS	15 [hp_X] in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0K00R)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:57520-0349-1	60 mL in 1 BOTTLE, DROPPER		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		09/29/2010	

**Labeler** - Apothea Company (844330915)**Establishment**

Name	Address	ID/FEI	Business Operations
Apothea Company		844330915	manufacture

Revised: 6/2011

Apothea Company