# MILK OF MAGNESIA CHERRY- magnesium hydroxide liquid RITE AID PHARMACY

-----

## RITEAID milk of mag cherry

## Active ingredient (in each 15 mL)

Magnesium hydroxide 1200 mg

## **Purpose**

Saline laxative

#### Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 1/2 to 6 hours

## Warnings

## Ask a doctor before use if you have

- kidney disease
- a magnesium-restricted diet
- stomach pain, nausea, or vomiting
- a sudden change in bowel habits that lasts over 14 days

**Ask a doctor or pharmacist before use if you are** taking a prescription drug. This product may interact with certain prescription drugs.

## Stop use and ask a doctor if

- you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

#### **Directions**

- shake well before use
- do not exceed the maximum recommended daily dose in a 24-hour period
- dose may be taken once a day preferably at bedtime, in divided doses, or as directed by a doctor
- drink a full glass (8 oz) of liquid with each dose

lage	ldosa
lage	luo3C

adults and children 12 years and over	30 mL to 60 mL
children 6 to 11 years	15 mL to 30 mL
children under 6 years	ask a doctor

### Other information

- each 15 mL contains: magnesium 500 mg, sodium 6 mg
- do not freeze
- store at room temperature tightly closed

## **Inactive ingredients**

carboxymethylcellulose sodium, citric acid, D&C red no. 28, flavor, glycerin, microcrystalline cellulose, purified water, sodium citrate, sodium hypochlorite, sucrose, xanthan gum

**Questions or Comments?** 

1-800-540-3765

**PACKAGE LABEL** 



## Drug Facts

TAMPER EVIDENT: DO NOT USE IF IMPRINTED NECKBAND IS MISSING OR BROKEN.

## Active ingredient (in each 15 mL)

Purpose

Magnesium hydroxide 1200 mg ..

Saline laxative

relieves occasional constipation (irregularity)

generally produces bowel movement in ½ to 6 hours

#### Warnings

Ask a doctor before use if you have • kidney disease

- · stomach pain, nausea, or vomiting a magnesium-restricted diet
- a sudden change in bowel habits that lasts over 14 days

Ask a doctor or pharmacist before use if you are presently taking a prescription drug. This product may interact with certain prescription drugs.

#### Stop use and ask a doctor if

- you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help, or contact Poison Control Center (1-800-222-1222) right away.

#### Directions

- shake well before use
- do not exceed the maximum recommended daily dose in a 24 hour period
- dose may be taken once a day preferably at bedtime, in divided doses, or as directed by a doctor
- drink a full class (8 oz) of liquid with each dose

- drink a rat grade (o or) or require with outer about		
age	dose	
adults and children 12 years and over	30 mL to 60 mL	
children 6 to 11 years	15 mL to 30 mL	
children under 6 years	ask a doctor	

#### Other information

each 15 mL contains: magnesium 500 mg, sodium 6 mg

do not freeze
store at room temperature tightly closed

#### Inactive ingredients

carboxymethylcellulose sodium, citric acid, D&C red no. 28, flavor, alveerin, microcrystalline cellulose, purified water, sodium citrate. sodium hypochlorite, sucrose, xanthan gum

#### Questions or comments? 1-800-540-3765

\*This product is not manufactured or distributed by Bayer Healthcare LLC, the owner of the registered trademark Phi∎ips'® Milk of Magnesia.

DISTRIBUTED BY: RITE AID, 200 NEWBERRY COMMONS, ETTERS, PA 17319 www.riteaid.com MADE IN USA

SATISFACTION GUARANTEE: If you're not satisfied,

we'll happily refund your money.

918-19312-6 REV GC0123

## MILK OF MAGNESIA CHERRY

magnesium hydroxide liquid

#### **Product Information**

**Product Type HUMAN OTC DRUG Item Code (Source)** NDC:11822-0399

**Route of Administration ORAL** 

### **Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
MAGNESIUM HYDROXIDE (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838, HYDROXIDE ION - UNII:9159UV381P)	MAGNESIUM HYDROXIDE	1200 mg in 15 mL

Inactive Ingredients			
Ingredient Name	Strength		
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)			
GLYCERIN (UNII: PDC6A3C0OX)			
CARBOXYMETHYLCELLULOSE SODIUM (UNII: K6790BS311)			
WATER (UNII: 059QF0KO0R)			
SODIUM HYPOCHLORITE (UNII: DY38VHM5OD)			
<b>D&amp;C RED NO. 28</b> (UNII: 767IP0Y5NH)			
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)			
SODIUM CITRATE (UNII: 1Q73Q2JULR)			
SUCROSE (UNII: C151H8M554)			
XANTHAN GUM (UNII: TTV12P4NEE)			

Product Characteristics		
Color	pink (opaque light pink)	Score
Shape		Size
Flavor	CHERRY	Imprint Code
Contains		

P	Packaging				
#	Item Code	Item Code Package Description		Marketing End Date	
1	NDC:11822- 0399-4	355 mL in 1 BOTTLE; Type 0: Not a Combination Product	04/01/2014		
2	NDC:11822- 0399-5	769 mL in 1 BOTTLE; Type 0: Not a Combination Product	04/01/2014		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M007	04/01/2014		

## Labeler - RITE AID PHARMACY (014578892)

## Registrant - GCP Laboratories (965480861)

Establishment			
Name	Address	ID/FEI	Business Operations
GCP Laboratories		965480861	pack(11822-0399), manufacture(11822-0399)

Revised: 11/2023 RITE AID PHARMACY