

4064 FIRST AID KIT- 4064 first aid kit
4065 FIRST AID KIT- 4065 first aid kit
4066 FIRST AID KIT- 4066 first aid kit
4067 FIRST AID KIT- 4067 first aid kit
Honeywell Safety Products USA, Inc

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click [here](#).

0498-4064, -4065, -4066, -4067: First Aid Kit (PVP, First Aid Burn Cr, Triple-Z019737-0024L, 019737-0024L, Z019708, 019708-0005L)

PVP Wipes
Active ingredient

Povidone-iodine 10%

(equivalent to 1% titratable iodine)

PVP Wipes
Purpose

First aid antiseptic

PVP Wipes
Uses

- first aid antiseptic to help prevent infection in minor cuts, scrapes and burns

PVP Wipes
Warnings

For external use only.

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- condition worsens or persists for more than 72 hours
- irritation and redness develops

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

PVP Wipes

Directions

- clean the affected area
- apply 1 to 3 times daily
- may be covered with a sterile bandage
- if bandaged, let dry first
- discard wipe after single use

PVP Wipes

Other information

- do not use on individuals who are allergic or sensitive to iodine
- store at controlled temperature 59-86°F (15-30°C)
- do not use if pouch is open or torn

PVP Wipes

Inactive ingredients

nonoxynol 9, water

PVP Wipes

Questions

800-430-5490

Burn Cream

Active ingredient

Benzalkonium chloride 0.13%

Lidocaine hydrochloride 0.5%

Burn Cream

Purpose

First aid antiseptic

External analgesic

Burn Cream

Uses

- prevent skin infection
- for temporary relief of pain associated with minor burns

Burn Cream

Warnings

For external use only

Do not use

- in or near the eyes
- if you are allergic to any of the ingredients
- in large areas of the body particularly over raw surfaces or blistered areas
- for more than 10 days

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- condition persists
- symptoms persist for more than 7 days or clear up and occur again within a few days

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Burn Cream***Directions***

- adults and children 2 years of age and older:
- clean the affected area
- apply a small amount of this product (equal to the area of the tip of finger) onto the affected area 1 to 3 times daily
- may be covered with a sterile bandage
- children under 2 years of age: ask a doctor

Burn Cream***Other information***

- tamper evident sealed packets
- do not use if packet is opened or torn

Burn Cream***Inactive ingredients***

aloe barbadensis juice, cetyl alcohol, diazolidinyl urea, edetate disodium, glycerin, glyceryl stearate SE, methylparaben, mineral oil, PEG-100, propylene glycol, propylparaben, stearic acid, trolamine, water

Burn Cream***Questions***

1-800-430-5490

Triple

Active ingredients

Bacitracin zinc 400 units

Neomycin sulfate (5 mg equivalent to 3.5 mg Neomycin base)

Polymyxin B sulfate 5000 units

Triple

Purpose

First aid antibiotic

First aid antibiotic

First aid antibiotic

Triple

Uses

first aid to help prevent infection in:

- minor cuts
- scrapes
- burns

Triple

Warnings

For external use only

Allergy alert: do not use if you are allergic to any of the ingredients

Triple

Do not use

- in the eyes
- over large areas of the body

Triple

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Triple

Stop use and ask a doctor if:

- the condition persists or gets worse
- a rash or other allergic reaction develops
- you need to use longer than 1 week

Triple

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away

Triple

Directions

- clean the affected area
- apply a small amount of the product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

Triple

Other information

- store at 15 ° to 25 ° C (59 ° to 77 °F)
- tamper evident sealed packets
- do not use if packet is torn or opened

Triple

Inactive ingredients

petrolatum

Triple

Questions

1-800-430-5490

4064

Z019737-0024L Kit Contents

TRIPLE ANTIBIOTIC 10 PER

FIRST AID BURN CREAM 6 PER

TRIANGULAR BDG, NON-STERILE

WIRE SPLINT 1 PER

BANDAGE COMP, 2" OFFSET, 4 PER

BANDAGE COMP, 4" OFFSET, 1 PER

ADHESIVE BDG, PLSTIC, 1"X3"16PER

PVP IODINE WIPES 10 PER

NITRILE GLOVES 2PR BBP

FIRST AID GUIDE ASHI

4065**019737-0024L Kit Contents**

TRIPLE ANTIBIOTIC 10 PER
FIRST AID BURN CREAM 6 PER
TRIANGULAR BDG, NON-STERILE
WIRE SPLINT 1 PER
GAUZE PADS, 3" X 3", 4 PER
BANDAGE COMP, 2" OFFSET, 4 PER
BANDAGE COMP, 4" OFFSET, 1 PER
ADHESIVE BDG, PLSTIC, 1" X 3" 16 PER
PVP IODINE WIPES 10 PER
ADHESIVE TAPE W/P 1/2" X 5 YD
1 PR LRG NITRILE GLVES ZIP BAG

4066**Z019839 Kit Contents**

TRIPLE ANTIBIOTIC 10 PER
FIRST AID BURN CREAM 6 PER
TRIANGULAR BDG, NON-STERILE
GAUZE PADS, 3" X 3", 4 PER
ADH TAPE, .5" X 2.5 YD, 2 PER
GAUZE COMP, 1 SQ YARD, 1 PER
INSTANT COLD PACK 4" X 6"
ADHESIVE BDG, PLSTIC, 1" X 3" 16 PER
PVP IODINE WIPES 10 PER
NITRILE GLOVES 2PR BBP
FIRST AID GUIDE ASHI
SCISSOR BDGE 4" RED PLS HDL

4067**019708-0005L Kit Contents**

TRIPLE ANTIBIOTIC 10 PER
FIRST AID BURN CREAM 6 PER
TRIANGULAR BDG, NON-STERILE

GAUZE PADS, 3" X 3", 4 PER

ADH TAPE, .5" X 2.5 YD, 2 PER

GAUZE COMP, 1 SQ YARD, 1 PER

INSTANT COLD PACK 4" X 6"

ADHESIVE BDG, PLSTIC, 1" X 3" 16 PER

PVP IODINE WIPES 10 PER



NITRILE GLOVES 2PR BBP

FIRST AID GUIDE ASHI

SCISSOR BDGE 4" RED PLS HDL

Honeywell PVP Wipes

796042 Rev. B Unit Carton Printing Plate for "A" size carton.



Principal Display Panel

796353-10 Rev. A Unit Carton Printing Plate for "B" size

Plate

FRONT SIDE

901850-10

First Aid Burn Cream

021020-10

First Aid Burn Cream

Benzalkonium chloride

First aid antiseptic

Lidocaine HCl

External analgesic

Distributed by

Honeywell Safety

Products USA, Inc.

Smithfield, RI 02917

10 Packets, Net Wt 1/32 oz (0.9g) each

15/16"

BACK SIDE

901850-10

First Aid Burn Cream

Drug Facts

Active ingredients

Benzalkonium chloride 0.13%

Lidocaine HCl 0.5%

Purpose

First aid antiseptic

External analgesic

Use

prevent skin infection

for the temporary relief of pain associated with minor burns

Warnings

For external use only

Do not use

in or near the eyes

If you are allergic to any of the ingredients

in large areas of the body particularly over raw surfaces or blistered areas

for more than 10 days

Ask a doctor before use if you have

deep or puncture wounds

animal bites

serious burns

Stop use and ask a doctor if

condition worsens

symptoms persist more than 7 days or clear up and occur again within a few days

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

adults and children 2 years and over

clean the affected area

apply a small amount of this product (equal to the surface area of the tip of a finger) onto affected area 1 to 3 times daily

may be covered with a sterile bandage

children under 2 years ask a doctor

Other information

tamper evident sealed packets

do not use if packet is opened or torn


Inactive ingredients

aloe barbadensis leaf juice, cetyl alcohol, diazolidinyl urea, edetate disodium, glycerin, glyceryl stearate SE, methylparaben, mineral oil, PEG-100, propylene glycol, propylparaben, stearic acid, triethylamine, water

Questions or comments?

1-800-430-5490

Triple
Principal Display Panel



4064 Kit Label
Z019737-0024L

4 color process, pms 072 blue, and pms 186 red



4065 Kit Label
019737-0024I

4 color process, pms 072 blue, and pms 186 red



4066 Kit label
Z019839

FIRST AID

GENERAL PURPOSE, UNITIZED
10 PERSON



GRAINGER.COM®

GRAINGER®

||||| FOR THE ONES WHO GET IT DONE

Distributed by Honeywell Safety Products USA, Inc. Smithfield, RI 02917

470017286A

4067 Kit Label
019708-0005L



4064 FIRST AID KIT

4064 first aid kit kit

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0498-4064
--------------	----------------	--------------------	---------------

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-4064-01	1 in 1 KIT	11/21/2018	10/18/2019

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	10 POUCH	3 mL
Part 2	6 PACKET	5.4 g
Part 3	10 PACKET	9 g

Part 1 of 3

PVP IODINE WIPE

povidone-iodine 10% swab

Product Information

Item Code (Source)	NDC:0498-0121
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
POVIDONE-IODINE (UNII: 85H0HZ U99M) (IODINE - UNII:9679TC07X4)	IODINE	10 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
NONOXYNOL-9 (UNII: 48Q180SH9T)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0121-34	10 in 1 CARTON		
1	NDC:0498-0121-00	0.3 mL in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/18/2018	01/08/2024

Part 2 of 3

FIRST AID BURN

benzalkonium chloride, lidocaine hydrochloride cream

Product Information

Item Code (Source)	NDC:0498-0903
--------------------	---------------

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE	0.5 g in 100 g
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	0.13 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PEG-100 STEARATE (UNII: YD01N1999R)	
CETYL ALCOHOL (UNII: 936JT6JCN)	
TROLAMINE (UNII: 9O3K93S3TK)	
WATER (UNII: 059QF0KO0R)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
LIGHT MINERAL OIL (UNII: N6K5787QVP)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		0.9 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		12/20/2017	01/08/2024

Part 3 of 3

TRIPLE ANTIBIOTIC

bacitracin zinc, polymyxin b sulfate, neomycin sulfate ointment

Product Information	
Item Code (Source)	NDC:0498-0750
Route of Administration	TOPICAL

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	400 [iU] in 1 g
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B	5000 [iU] in 1 g
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN	3.5 mg in 1 g

Inactive Ingredients	
Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	

Product Characteristics			
Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0750-35	0.9 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/19/2018	01/08/2024

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		11/21/2018	10/18/2019

4065 first aid kit kit

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0498-4065
--------------	----------------	--------------------	---------------

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-4065-01	1 in 1 KIT	11/21/2018	

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	10 POUCH	3 mL
Part 2	6 PACKET	5.4 g
Part 3	10 PACKET	9 g

Part 1 of 3

PVP IODINE WIPE

povidone-iodine 10% swab

Product Information

Item Code (Source)	NDC:0498-0121
--------------------	---------------

Route of Administration	TOPICAL
-------------------------	---------

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
POVIDONE-IODINE (UNII: 85H0HZU99M) (IODINE - UNII:9679TC07X4)	IODINE	10 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
NONOXYNOL-9 (UNII: 48Q180SH9T)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0121-34	10 in 1 CARTON		
1	NDC:0498-0121-	0.3 mL in 1 POUCH; Type 0: Not a Combination		

00	Product		
----	---------	--	--

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/18/2018	

Part 2 of 3

FIRST AID BURN

benzalkonium chloride, lidocaine hydrochloride cream

Product Information

Item Code (Source)	NDC:0498-0903
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE	0.5 g in 100 g
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	0.13 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PEG-100 STEARATE (UNII: YD01N1999R)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
TROLAMINE (UNII: 9O3K93S3TK)	
WATER (UNII: 059QF0KOOR)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
LIGHT MINERAL OIL (UNII: N6K5787QVP)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		0.9 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		12/20/2017	

Part 3 of 3

TRIPLE ANTIBIOTIC

bacitracin zinc, polymyxin b sulfate, neomycin sulfate ointment

Product Information

Item Code (Source)	NDC:0498-0750
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	400 [iU] in 1 g
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ 07J96K)	POLYMYXIN B	5000 [iU] in 1 g
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN	3.5 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	

Product Characteristics

Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
---	-----------	---------------------	----------------------	--------------------

1	NDC:0498-0750-35	0.9 g in 1 PACKET; Type 0: Not a Combination Product		
----------	------------------	--	--	--

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/19/2018	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		11/21/2018	

4066 FIRST AID KIT

4066 first aid kit kit

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0498-4066
---------------------	----------------	---------------------------	---------------

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-4066-01	1 in 1 KIT	11/21/2018	

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	10 POUCH	3 mL
Part 2	6 PACKET	5.4 g
Part 3	10 PACKET	9 g

Part 1 of 3

PVP IODINE WIPE

povidone-iodine 10% swab

Product Information

Item Code (Source)	NDC:0498-0121
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
POVIDONE-IODINE (UNII: 85H0HZU99M) (IODINE - UNII:9679TC07X4)	IODINE	10 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
NONOXYNOL-9 (UNII: 48Q180SH9T)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0121-34	10 in 1 CARTON		
1	NDC:0498-0121-00	0.3 mL in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/18/2018	

Part 2 of 3**FIRST AID BURN**

benzalkonium chloride, lidocaine hydrochloride cream

Product Information

Item Code (Source)	NDC:0498-0903
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE	0.5 g in 100 g
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	0.13 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PEG-100 STEARATE (UNII: YD01N1999R)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
TROLAMINE (UNII: 9O3K93S3TK)	
WATER (UNII: 059QF0KO0R)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
LIGHT MINERAL OIL (UNII: N6K5787QVP)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		0.9 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		12/20/2017	

Part 3 of 3

TRIPLE ANTIBIOTIC

bacitracin zinc, polymyxin b sulfate, neomycin sulfate ointment

Product Information

Item Code (Source)	NDC:0498-0750
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	400 [iU] in 1 g
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B -	POLYMYXIN B	5000 [iU] in 1 g

UNII:J2VZ07J96K)	POLYMERIN B	5000 [10] in 1 g
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN	3.5 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	

Product Characteristics

Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0750-35	0.9 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/19/2018	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		11/21/2018	

4067 FIRST AID KIT

4067 first aid kit kit

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0498-4067
---------------------	----------------	---------------------------	---------------

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-4067-01	1 in 1 KIT	11/21/2018	

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	10 POUCH	3 mL
Part 2	6 PACKET	5.4 g
Part 3	10 PACKET	9 g

Part 1 of 3

PVP IODINE WIPE

povidone-iodine 10% swab

Product Information

Item Code (Source)	NDC:0498-0121
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
POVIDONE-IODINE (UNII: 85H0HZU99M) (IODINE - UNII:9679TC07X4)	IODINE	10 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
NONOXYNOL-9 (UNII: 48Q180SH9T)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0121-34	10 in 1 CARTON		
1	NDC:0498-0121-00	0.3 mL in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/18/2018	

Part 2 of 3

FIRST AID BURN

benzalkonium chloride, lidocaine hydrochloride cream

Product Information

Item Code (Source)	NDC:0498-0903
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE	0.5 g in 100 g
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	0.13 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PEG-100 STEARATE (UNII: YD01N1999R)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
TROLAMINE (UNII: 9O3K93S3TK)	
WATER (UNII: 059QF0KO0R)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
LIGHT MINERAL OIL (UNII: N6K5787QVP)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		0.9 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		12/20/2017	

Part 3 of 3

TRIPLE ANTIBIOTIC

bacitracin zinc, polymyxin b sulfate, neomycin sulfate ointment

Product Information

Item Code (Source)	NDC:0498-0750
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	400 [iU] in 1 g
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B	5000 [iU] in 1 g
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN	3.5 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	

Product Characteristics

Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0750-35	0.9 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/19/2018	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		11/21/2018	

Labeler - Honeywell Safety Products USA, Inc (118768815)

Establishment

Name	Address	ID/FEI	Business Operations
NORTH SAFETY DE MEXICALI, S. DE R.I. DE C.V.		812503712	pack(0498-4064, 0498-4065, 0498-4066, 0498-4067)

Revised: 1/2024

Honeywell Safety Products USA, Inc