

ANTIFUNGAL- terbinafine hydrochloride cream
Meijer Distribution Inc

Antifungal Cream

Drug Facts

Active ingredient

Terbinafine hydrochloride 1%

Purpose

Antifungal

Uses

- cures most athlete's foot (tinea pedis)
- cures most jock itch (tinea cruris) and ringworm (tinea corporis)
- relieves itching, burning, cracking and scaling which accompany these conditions

Warnings

For external use only

Do not use

- on nails or scalp
- in or near the mouth or eyes
- for vaginal yeast infections

When using this product do not get into eyes. If eye contact occurs, rinse thoroughly with water.

Stop use and ask a doctor if too much irritation occurs or gets worse

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.


Directions

- adults and children 12 years and over:
 - use the tip of the cap to break the seal and open the tube
 - wash the affected skin with soap and water and dry completely before applying
 - **for athlete's foot** wear well-fitting, ventilated shoes. Change shoes and socks at least once daily.



- **between the toes only:** apply twice a day (morning and night) for **1 week** or as directed by a doctor
- **on the bottom or sides of the foot:** apply twice a day (morning and night) for **2 weeks** or as directed by a doctor
- **for jock itch and ringworm:** apply once a day (morning **or** night) for **1 week** or as directed by a doctor
 - wash hands after each use
- children under 12 years: ask a doctor

1 week
between the toes



2 weeks on
the bottom
or sides of the foot

Other information

TAMPER EVIDENT: DO NOT USE IF THE SEAL ON THE TUBE IS PUNCTURED OR NOT VISIBLE.

- store at controlled room temperature 20° to 25°C (68° to 77°F)
- see carton or tube crimp for lot number and expiration date

Inactive ingredients

benzyl alcohol, cetyl alcohol, cetyl palmitate, isopropyl myristate, polysorbate 60, purified water, sodium hydroxide, sorbitan monostearate, stearyl alcohol

Questions?

call **1-866-923-4914**

**DIST. BY MEIJER DISTRIBUTION, INC.
GRAND RAPIDS, MI 49544**

PRINCIPAL DISPLAY PANEL - 30 g Tube Carton

meijer®

NDC 41250-080-02

FULL PRESCRIPTION STRENGTH

Antifungal Cream
For Athlete's Foot

TERBINAFINE HYDROCHLORIDE CREAM 1% | ANTIFUNGAL

Relieves Itching

NET WT 1 oz (30 g)

meijer.

FULL PRESCRIPTION STRENGTH
Antifungal Cream

TERBINAFINE HYDROCHLORIDE CREAM 1% | ANTIFUNGAL

Relieves Itching

Clinically Proven To Cure
Most Athlete's Foot Between The Toes

COMPARE TO
LAMISIL[®]
ACTIVE INGREDIENT*

For Athlete's Foot

5244968
0923
44

T-175
B76.2
ENG19.54

meijer.

FULL PRESCRIPTION STRENGTH
Antifungal Cream

TERBINAFINE HYDROCHLORIDE CREAM 1% | ANTIFUNGAL

Relieves Itching

NDC 41250-080-02

For Athlete's Foot

NET WT 1 oz (30 g)

meijer.
FULL PRESCRIPTION STRENGTH
Antifungal Cream
TERBINAFINE HYDROCHLORIDE
CREAM 1% | ANTIFUNGAL



DIST. BY MEIJER DISTRIBUTION, INC.
GRAND RAPIDS, MI 49544
www.meijer.com
Made in Canada

PID 465517



7 13733 16206 7

*All trademarks are property of their respective owners.

Drug Facts

Active ingredient Terbinafine hydrochloride 1%
Purpose Antifungal

Uses
• cures most athlete's foot (in ear pads)
• cures most jock itch (in ear canals) and in groin (in ear canals)
• relieves itching, burning, or stinging (in ear canals)

Warnings
Do not use
• in or near the mouth or eyes
• on the face or scalp
• for vaginal yeast infections
When using this product do not get it in your eyes. If eye contact occurs, rinse thoroughly with water.
Stop use and ask a doctor if too much irritation occurs or gets worse
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
• adults and children 12 years and over:
• use the tip of the cap to break the seal and open the tube

Other information
TAMPERS EVIDENT: DO NOT USE IF THE SEAL ON THE TUBE IS PUNCTURED OR NOT VISIBLE.
• store at controlled room temperature 20° to 25°C (68° to 77°F)
• see carton or tube cmp for lot number and expiration date
Inactive ingredients: benzyl alcohol, cetyl alcohol, cetyl palmitate, isopropyl myristate, polyethylene glycol, purified water, sodium hydroxide, sorbitan monostearate, stearyl alcohol

Questions? call 1-866-92-3491

Drug Facts (continued)

• wash the affected skin with soap and water and dry completely before applying
• for a tight-fitting, well-ventilated shoe.
Change shoes and socks at least once daily.
• between the toes only:
• apply twice a day (in morning and night) for 1 week or as directed by a doctor
• on the bottom or sides of the foot:
• apply twice a day (in morning and night) for 1 week or as directed by a doctor
• for jock itch and ringworm:
• apply once a day (in morning or night) for 1 week or as directed by a doctor
• wash hands after each use
• children under 12 years: ask a doctor

1 week
• between the toes

2 weeks
• on the bottom or sides of the foot

2 weeks
• on the face or scalp

2 weeks
• in or near the mouth or eyes

2 weeks
• for vaginal yeast infections

2 weeks
• on the face or scalp

2 weeks
• in or near the mouth or eyes

2 weeks
• for vaginal yeast infections

2 weeks
• on the face or scalp

2 weeks
• in or near the mouth or eyes

2 weeks
• for vaginal yeast infections

NO VARNISH
ON THIS FLAP

NO VARNISH
ON THIS FLAP

ANTIFUNGAL

terbinafine hydrochloride cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41250-080
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Terbinafine Hydrochloride (UNII: 012C11ZU6G) (Terbinafine - UNII:G7RIW8S0XP)	Terbinafine Hydrochloride	1 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
benzyl alcohol (UNII: LKG8494WBH)	
cetyl alcohol (UNII: 936JST6JCN)	
cetyl palmitate (UNII: 5ZA2S6B08X)	
isopropyl myristate (UNII: 0RE8K4LNJS)	
polysorbate 60 (UNII: CAL22UVI4M)	
water (UNII: 059QF0KO0R)	
sodium hydroxide (UNII: 55X04QC32I)	
sorbitan monostearate (UNII: NVZ4I0H58X)	
stearyl alcohol (UNII: 2KR89I4H1Y)	

Product Characteristics

Color	WHITE	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41250-080-02	1 in 1 CARTON	12/12/2012	
1		30 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA077511	07/02/2007	

Labeler - Meijer Distribution Inc (006959555)

Revised: 9/2023

Meijer Distribution Inc