

**AU KAH CHUEN ANTIFUNGAL- clotrimazole lotion**  
**GUANGZHOU NATIONAL PHARMACEUTICAL CO LTD**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**DRUG FACTS**

Active Ingredient  
Clotrimazole 1.0%

Purpose  
Antifungal

Uses  
Proven clinically effective in the treatment of most:  
athlete's foot  
jock itch  
ringworm

Warnings  
For external use only

Flammable  
Keep away from fire or flame.

Do not use on children under 2 years of age unless directed by a doctor.

When using this product avoid contact with the eyes.

Stop use and ask a doctor if  
irritation occurs  
there is no improvement within:  
2 weeks when used for jock itch  
4 weeks when used for athlete's foot or ringworm

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

Wash the affected area and dry thoroughly.  
Apply a thin layer of the product over the affected area twice daily (morning and night) or as directed by a doctor.

Supervise children in the use of this product.

For athlete's foot:

Pay special attention to spaces between the toes.

Wear well-fitting, ventilated shoes.

Change shoes and socks at least once daily.

For athlete's foot and ringworm: use daily for 4 weeks.

For jock itch: use daily for 2 weeks.  
If condition persists longer, consult a doctor.  
This product is not effective on the scalp or nails

Keep container tightly closed, away from heat  
Store at 2° to 30° C (36° to 86° F)

Inactive Ingredients

Glycerin, isopropyl alcohol, musk xylol, phenol and purified water.

Questions or Comments? (888) 221-3496 M-F, 9am to 5pm  
you may also report serious side effects to the phone number.

AU KAH CHUEN ANTIFUNGAL LOTION  
NDC 66672-001-01  
0.81 fl oz (24 mL)

Au Kah Chuen - antifungal lotion (24mL)

外搽勿服 遠百藥房



何? 請勿倒放

總批發  
 本品已於一九九三年  
 改用此新瓶，選用新  
 款塑膠樽，質料堅薄  
 比玻璃樽更安全可靠  
 ，保證質量相同。

---

**Drug Facts**

**Active Ingredient Purpose**  
 Clotrimazole 1.0% Antifungal

**Uses** Proven clinically effective in the treatment of most:  
 ■ athlete's foot ■ jock itch ■ ringworm

**Warnings**  
 For external use only.  
 Flammable. Keep away from fire or flame.  
 Do not use on children under 2 years of age unless directed by a doctor.  
 When using this product avoid contact with the eyes.  
**Stop use and ask a doctor if**  
 ■ irritation occurs  
 ■ there is no improvement within:  
 ■ 2 weeks when used for jock itch  
 ■ 4 weeks when used for athlete's foot or ringworm  
 Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
 ■ Wash the affected area and dry thoroughly.  
 ■ Apply a thin layer of the product over the affected area twice daily (morning and night) or as directed by a doctor.  
 ■ Supervise children in the use of this product.  
 ■ For athlete's foot:  
 ■ Pay special attention to spaces between the toes.  
 ■ Wear well-fitting, ventilated shoes.  
 ■ Change shoes and socks at least once daily.  
 ■ For athlete's foot and ringworm: use daily for 4 weeks.  
 ■ For jock itch: use daily for 2 weeks.  
 ■ If condition persists longer, consult a doctor.  
 ■ This product is not effective on the scalp or nails.

**Other Information**  
 ■ Keep container tightly closed, away from heat.  
 ■ Store at 2° to 30° C (36° to 86° F).

**Inactive Ingredients** Glycerin, isopropyl alcohol, musk xylol, phenol and purified water.

**Questions or Comments?** (866) 221-3496 M-F 9 am to 5 pm  
 ■ You may also report serious side effects to this phone number.

Executive Agent:  
 香港歐家全製藥廠有限公司  
 Au Kah Chuen Medicine Fty. Ltd.  
 Hong Kong



歐家全醫生臨床試驗

歐家全

皮膚水

淨重0.81盎司  
(24 毫升)

NDC 66672-001-01

**藥品資料 (歐家全皮膚水)**

有效成份 用途  
 克霉唑 1.0% 抗真菌

**作用** 臨床證明對下列症狀多數有效:  
 ■ 腳氣 ■ 股癬 ■ 其它菌類病

**西藥**  
 ■ 本品僅供外用  
 ■ 應避火或火源。  
 ■ 除經醫師囑咐，不得用於二歲以下兒童。  
 ■ 勿使藥液接觸眼睛。

**如有下列症狀，停止使用並請教醫師**  
 ■ 疼痛發癢  
 ■ 症狀在下列期間無改善:  
 ■ 用於腳氣或股癬二星期內  
 ■ 用於腳氣或股癬四星期內

請本品設在兒童不可接近處。如不慎吞服，應立即將藥瓶帶回，或與毒物控制中心 (Poison Control Center) 聯絡。

**用法**  
 ■ 潔淨患處並擦乾。  
 ■ 在患處塗一薄層，一日二次(早、晚各一次)或遵醫囑。  
 ■ 若用於兒童，應予監督。  
 ■ 若用於腳氣:  
 ■ 要特別注意保持腳趾之間的空隙。  
 ■ 穿合適和透氣良好的鞋子。  
 ■ 每天至少換鞋襪一次。  
 ■ 若用於股癬及其它菌類病: 每天使用，療程為四星期。  
 ■ 若用於股癬: 每天使用，療程為二星期。  
 ■ 若症狀持續時間較長，請教醫師。  
 ■ 本品對頭髮或指甲無效。

**其它注意事項**  
 ■ 緊閉容器，不要接近熱源。  
 ■ 請將本品及包裝物置於 20°C (或 68-86°F)。

**輔助成份** 甘油、異丙醇、麝香二甲苯、苯酚和淨化水。

**問題或建議?** (866) 221-3496  
 週一至週五，上午9時至下午5時  
 ■ 您可致電查詢或與藥劑師商量有關副作用。

Distributed by:  
 SOLSTICE MEDICINE COMPANY  
 美國歐家全製藥有限公司  
 115 West Ann Street,  
 Los Angeles, CA 90012  
 Toll Free: 1-866-221-3496  
 WWW.SOLSTICEMED.COM

Lot No.      Made in China



歐家全醫生臨床試驗

Au Kah Chuen

ANTIFUNGAL LOTION

0.81 FL.OZ (24mL)

---





Manufactured by  
 Guangzhou National  
 Pharmaceutical Co., Ltd.  
 Dagang Town, Nansha District,  
 Guangzhou City, Guangdong Province,  
 China



0 49987 01115 9

clotrimazole lotion

### Product Information

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:66672-001 |
| <b>Route of Administration</b> | TOPICAL        |                           |               |

### Active Ingredient/Active Moiety

| Ingredient Name  | Basis of Strength | Strength      |
|--|-------------------|---------------|
| CLOTRIMAZOLE (UNII: G07GZ97H65) (CLOTRIMAZOLE - UNII:G07GZ97H65) | CLOTRIMAZOLE      | 1 g in 100 mL |

### Inactive Ingredients

| Ingredient Name                      | Strength |
|--------------------------------------|----------|
| GLYCERIN (UNII: PDC6A3C0OX)          |          |
| ISOPROPYL ALCOHOL (UNII: ND2M416302) |          |
| MUSK XYLENE (UNII: 1ZAO16GU5K)       |          |
| PHENOL (UNII: 339NCG44TV)            |          |
| WATER (UNII: 059QF0K00R)             |          |

### Packaging

| # | Item Code        | Package Description   | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:66672-001-01 | 1 in 1 BOX  | 05/08/2017           |                    |
| 1 |                  | 24 mL in 1 BOTTLE, WITH APPLICATOR; Type 0: Not a Combination Product |                      |                    |
| 2 | NDC:66672-001-02 | 1 in 1 BOX  | 05/08/2017           |                    |
| 2 |                  | 12 mL in 1 BOTTLE, WITH APPLICATOR; Type 0: Not a Combination Product |                      |                    |

### Marketing Information

| Marketing Category  | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------|--|----------------------|--------------------|
| OTC monograph final | part333C                                 | 05/08/2017           |                    |

**Labeler** - GUANGZHOU NATIONAL PHARMACEUTICAL CO LTD (547447953)

### Establishment

| Name                                     | Address | ID/FEI    | Business Operations    |
|--|---------|-----------|------------------------|
| GUANGZHOU NATIONAL PHARMACEUTICAL CO LTD |         | 547447953 | manufacture(66672-001) |