

**999 GANMAOLING COLD- acetaminophen caffeine chlorpheniramine maleate capsule  
Kingsway**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Drug Facts**

**Active Ingredients**

Acetaminophen 100 mg

Caffeine 2 mg

Chlorpheniramine Maleate 2 mg

**Purpose**

Pain reliever/fever reducer

Pain reliever aid

Antihistamine

**Uses** Temporarily relieves the following symptoms associated with the common cold, hay fever or other upper respiratory allergies: • Minor aches and pains • Headache • Sneezing • Muscular aches • Itchy, watery eyes • Runny nose • Sore Throat • Itching of the nose or throat • Fever

**Warnings**

**Liver warning** This product contains acetaminophen. Severe liver damage may occur if you take ■ more than 6 packets in 24 hours, which is the maximum daily amount for this product ■ with other drugs containing acetaminophen ■ 3 or more alcoholic drinks daily while using this product.

**Sore throat warning** If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

**Ask a doctor before using if you have**

• Glaucoma • A breathing problem such as emphysema or chronic bronchitis • Difficulty in urination due to enlargement of the prostate gland

**Ask a doctor or pharmacist before use if you are** ■ have liver disease ■ are taking sedatives or tranquilizers ■ are taking the blood thinner drug, warfarin

**When using this product** ■ May cause excitability, especially in children ■ May cause drowsiness, if used with alcohol, sedatives, or tranquilizers ■ Use caution when driving a motor vehicle or operating machinery.

**Stop use and consult a doctor** ■ If pain or fever persists or worsens ■ If redness or swelling is present ■ If symptoms last for more than 7 days ■ Fever lasts more than 3 days ■ If new symptoms occur such as rash, nausea or vomiting.

**If pregnant or breast-feeding** ask a health professional before using.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs of symptoms. **Do not exceed recommended**

**Directions** ■ Adults and children 12 years of age and older: Take 2 capsules 3 times a day. Do not exceed 12 capsules in 24 hours.

■ Children under 12 years of age: Consult a doctor before using.

**Other Information**

■ Protect from light and excessive heat ■ Keep tightly closed ■ Keep in dry place

## Other Ingredients

Chrysanthemum (flower), Evodia (unripe fruit), Roughhaired Holly (root), Spanish needles, Peppermint oil.

Drug Facts 藥品資料	
Active Ingredients/主要成份	Purpose/作用
Acetaminophen/對乙酰氨基酚 100 mg	Pain reliever/ fever reducer / 緩解疼痛 / 解熱
Caffeine / 咖啡因 2mg	Pain reliever aid / 輔助緩解疼痛
Chlorpheniramine maleate / 馬來酸氯苯那敏 2mg	Antihistamine / 抗組胺
Uses 作用	
Temporarily relieves the following symptoms associated with common cold, hay fever, or other upper respiratory allergies:	
<ul style="list-style-type: none"> <li>■ Minor aches and pains</li> <li>■ Headache</li> <li>■ Sneezing</li> <li>■ Itchy, watery eyes</li> <li>■ Runny nose</li> <li>■ Sore throat</li> <li>■ Itching of the nose or throat</li> <li>■ Fever</li> </ul>	
暫時緩解傷風、花粉熱或其他上呼吸道引起的下列癥狀：	
<ul style="list-style-type: none"> <li>■ 輕度酸痛</li> <li>■ 頭痛</li> <li>■ 噴嚏</li> <li>■ 發癢、流淚</li> <li>■ 流涕</li> <li>■ 喉痛</li> <li>■ 鼻或喉發癢</li> <li>■ 發熱</li> </ul>	
Warnings 告誡	
Liver warning	
This product contains acetaminophen. Severe liver damage may occur if you take more than 12 capsules in 24 hrs, which is the maximum daily amount for this product with other drugs containing acetaminophen 3 or more alcoholic drinks daily while using this product.	
肝臟告誡 此產品含有對乙酰氨基酚。如果和其他含有對乙酰氨基酚的藥物同時使用，或每天飲酒超過3次，在24小時內服用該產品超過12粒的劑量，可能發生嚴重的肝損傷。	
Sore throat warning	
If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.	
咽喉痛告誡 如果咽喉疼痛嚴重，超過2天癥狀仍然存在，而且是伴隨或者隨後出現發熱、頭痛、皮疹、惡心或嘔吐等癥狀，應立即諮詢醫生。	
Do not use with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.	
不要和任何其他含有對乙酰氨基酚的藥物（處方或非處方藥物）同時使用。如果你不確定藥物中是否含有對乙酰氨基酚，請諮詢醫生或藥劑師。	
Ask a doctor before using if you have	
<ul style="list-style-type: none"> <li>■ Glaucoma</li> <li>■ A breathing problem such as emphysema or chronic bronchitis</li> <li>■ Difficulty in urination due to enlargement of the prostate gland</li> </ul>	
如有下列癥狀，在服用本品前先請教醫師	
<ul style="list-style-type: none"> <li>■ 青光眼</li> <li>■ 肺氣腫或慢性氣管炎等呼吸系統癥狀</li> <li>■ 前列腺肥大引起排尿困難</li> </ul>	
Ask a doctor or pharmacist before you use if you are	
<ul style="list-style-type: none"> <li>■ have liver disease</li> <li>■ are taking sedatives or tranquilizers</li> <li>■ are taking the blood thinner drug, warfarin</li> </ul>	
如你目前正在服用下列藥物，在服用本品前先請教醫師或藥劑師	
<ul style="list-style-type: none"> <li>■ 有肝臟疾病</li> <li>■ 安眠藥或鎮定劑</li> <li>■ 血液稀釋劑藥物、華法林</li> </ul>	
When using this product	
<ul style="list-style-type: none"> <li>■ May cause excitability, especially in children</li> <li>■ May cause drowsiness, if used with alcohol, sedatives, or tranquilizers</li> <li>■ Use caution when driving a motor vehicle or operating machinery.</li> </ul>	
在服用本品期間	
<ul style="list-style-type: none"> <li>■ 可能會引起興奮，尤其是兒童。</li> <li>■ 可能會引起倦睡感。酒精、安眠藥或鎮定劑會加強倦睡感。</li> <li>■ 駕駛車輛或操作機械時要小心。</li> </ul>	
Stop use and consult a doctor	
<ul style="list-style-type: none"> <li>■ If pain or fever persists or worsen</li> <li>■ If redness or swelling is present</li> <li>■ If symptoms last for more than 7 days</li> <li>■ Fever lasts more than 3 days</li> <li>■ If new symptoms occur such as rash, nausea or vomiting.</li> </ul>	
如有下列癥狀，請停止使用並請教醫師	
<ul style="list-style-type: none"> <li>■ 疼痛或發熱持續不變或惡化</li> <li>■ 出現紅腫</li> <li>■ 癥狀持續七天以上</li> <li>■ 發熱持續3天以上</li> <li>■ 出現新癥狀疹子、惡心或嘔吐</li> </ul>	
If pregnant or breast-feeding ask a health professional before using.	
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms. Do not exceed recommended dosage.	
孕婦及哺乳期間女性使用前請諮詢健康專家。	
將本品放在兒童不可接近處。如不慎服用過量，應立即取得醫療護理或與毒物控制中心(Poison Control Center)聯絡。即使你沒有察覺任何迹象或癥狀，及時取得醫療護理對兒童或成年人都是非常重要的。不能超過推薦劑量。	
Directions 服用方法	
<ul style="list-style-type: none"> <li>■ Adults and children 12 years of age and older: Take 2 capsules 3 times a day. Do not exceed 12 capsules in 24 hours.</li> <li>■ Children under 12 years of age: Consult a doctor before using.</li> <li>■ 成人及12歲以上兒童：每次2粒，每日3次。24小時內服用不得超過12粒。</li> <li>■ 12歲以下的兒童：切勿使用，或請教醫生。</li> </ul>	



三九医药

999 感冒靈膠囊

GANMAOLING

COLD CAPSULE

Other Information 其他注意事項

■ Protect from light and excessive heat ■ Keep in dry place ■ 避光避熱 ■ 置於乾燥處  
 ■ Keep in tightly closed ■ 密封緊密 ■ 存放于乾燥處

Other Ingredients 輔助成份

Chrysanthemum (flower), Evodia(unripe fruit), Roughhaired Holly (root), Spanish needles, Peppermint oil.  
 野菊花, 三叉苦, 山梅, 金盞銀露, 薄荷油。

Relieves the symptoms of 緩解以下癥狀：

● 頭痛 ● 發熱 ● 噴嚏 ● 流涕 ● 咽喉痛

● Headache ● Fever ● Sneezing ● Runny nose ● Sore throat

12 Capsules(500mg each) (每粒500毫克)

Product of China / 中國製造

Kingsway Trading Inc. Brooklyn, NY 11237

Importer: 999

Lot Number/批號:      Expiry Date/有效期:

3 631



## 999 GANMAOLING COLD

acetaminophen caffeine chlorpheniramine maleate capsule

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:63922-601
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	100 mg
CAFFEINE (UNII: 3G6A5W338E) (CAFFEINE - UNII:3G6A5W338E)	CAFFEINE	2 mg
CHLORPHENIRAMINE MALEATE (UNII: V1Q0O9OJ9Z) (CHLORPHENIRAMINE - UNII:3U6IO1965U)	CHLORPHENIRAMINE MALEATE	2 mg

### Inactive Ingredients

Ingredient Name	Strength
DENDRANTHEMA INDICUM FLOWER (UNII: I6OER6U04L)	

<b>TETRADIUM RUTICARPUM FRUIT</b> (UNII: Q413WWJ3X9)	
<b>ILEX PUBESCENS ROOT</b> (UNII: V5V22LFX73)	
<b>BIDENS BIPINNATA WHOLE</b> (UNII: TRQ4JQ7DJQ)	
<b>PEPPERMINT OIL</b> (UNII: AV092KU4JH)	

**Product Characteristics**

<b>Color</b>	white (clear)	<b>Score</b>	2 pieces
<b>Shape</b>	CAPSULE (Capsule)	<b>Size</b>	20mm
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63922-601-01	1 in 1 BOX		
1	NDC:63922-601-12	12 in 1 BLISTER PACK		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	07/30/2012	

**Labeler - Kingsway (780573205)**

**Establishment**

Name	Address	ID/FEI	Business Operations
China Resources Sanjiu Medical & Pharmaceutical Co.,Ltd		544695711	manufacture