

132*37*37mm

Other information
 This product is not for use on children or infants.
 For more information on product safety, please visit our website at www.davallergies.com.
 © 2018 DAV®. All rights reserved. DAV® is a registered trademark of DAV®. All other trademarks are the property of their respective owners.

Active ingredient
 Minoxidil 2%
Purpose
 Restoring thinning hair
 Stimulating hair regrowth

Directions
 See the back of the box for full directions.

Warnings
 Do not use if you have been told by your doctor that you have a heart condition or if you are taking any medicine for your heart.

How to use it
 See the back of the box for full directions.

Keep out of reach of children and pets.
 If swallowed, get medical help or call a poison control center at 1-800-222-1222. If on your skin, wash with soap and water.

Manufactured for
 Good Manager Holding Inc.
 21 Tama Vista Blvd #207,
 Costa Mesa, CA 92626
 Email: support@davallergies.com
 Website: davallergies.com

DAV®

2% MINOXIDIL HAIR GROWTH SERUM



Restore thinning hair
 Reduce hair loss
 Stimulate hair regrowth
 Nourish scalp

60 ml / 2.03 fl. oz.

HOW TO USE

STEP 1
For scalp
 Direct* and the scalp with four sprays from the back to the crown to the frontal region (see the drawing).

STEP 2
 Massage with your hand to evenly distribute the lotion (apply pressure, so that blood flow can increase for both scalp and beard).

Manufactured for
 Good Manager Holding Inc.
 21 Tama Vista Blvd #207,
 Costa Mesa, CA 92626
 Email: support@davallergies.com
 Website: davallergies.com

94*72mm

DAV®

2% MINOXIDIL HAIR GROWTH SERUM



60 ml / 2.03 fl. oz.

HOW TO USE

STEP 1
For scalp
 Direct* and the scalp with four sprays from the back to the crown to the frontal region (see the drawing).

STEP 2
 Massage with your hand to evenly distribute the lotion (apply pressure, so that blood flow can increase for both scalp and beard).

Warnings:
 For external use only. Keep out of the reach of children. Store in a cool dry place.

CAUTIONS:
 Do not use if you have the following conditions:
 - Pregnancy
 - Fainting
 - History of heart sensitivity
 - Super-sensitive skin
 - Flaking skin around the hairline

DISCLAIMER:
 2% MINOXIDIL Topical solution for regrowth treatment reacts with hair follicles to stimulate growth. Clinically proven to help regrow hair.

64MM * 102MM

DAV®

2% MINOXIDIL HAIR GROWTH SERUM



Restore thinning hair
 Reduce hair loss
 Stimulate hair regrowth
 Nourish scalp

IMPORTANT NOTICES
 You will notice increased hair loss in the first 2-4 weeks of the treatment. This is normal since the body is getting rid of the dead hair shafts to make room for new healthy ones.

If you derma roll, don't apply it afterward since that can cause irritation.
 In the first two weeks of usage, you will notice your hair will get oily because of the lotion. It will get back to normal. Don't overwash, and let the body regulate its natural production.

You can wash your head multiple times per week, but don't use any shampoo, just use water and massage.
 If you have any concerns about the side effects of the Minoxidil, please consult with your doctor.

DAV®

Active ingredient — 2% MINOXIDIL

OTHER INGREDIENTS
 WATER, MICHAMBISE, GLYCERIN, BUTYLENE GLYCOL, PANTHENOL, DISODIUM EDTA, 3- β -ETHYL ASCORBIC ACID, ROSA CANINA FRUIT OIL, SODIUM HYALURONATE, CAPILA LONGA, MALUS DOMESTICA FRUIT CELL CULTURE EXTRACT, CENTELLA ASIATICA ROOT EXTRACT, HYDROXYACETOPHENONE, 1,3-HEXANEDIOL.

HOW DOES 2% MINOXIDIL WORK?
 The 2% MINOXIDIL is designed to dilate blood vessels and improve the flow of blood to the area. It's applied to the hair follicles, which promotes the growth of thicker, stronger hair. In addition, the topical treatment shortens the resting phase of hair growth, which means your hair stays in the growth phase longer.

132*37*37mm

Other information
 This product is not for use on children or infants.
 For more information on product safety, please visit our website at www.davallergies.com.
 © 2018 DAV®. All rights reserved. DAV® is a registered trademark of DAV®. All other trademarks are the property of their respective owners.

Active ingredient
 Minoxidil 2%
Purpose
 Restoring thinning hair
 Stimulating hair regrowth

Directions
 See the back of the box for full directions.

Warnings
 Do not use if you have been told by your doctor that you have a heart condition or if you are taking any medicine for your heart.

How to use it
 See the back of the box for full directions.

Keep out of reach of children and pets.
 If swallowed, get medical help or call a poison control center at 1-800-222-1222. If on your skin, wash with soap and water.

Manufactured for
 Good Manager Holding Inc.
 21 Tama Vista Blvd #207,
 Costa Mesa, CA 92626
 Email: support@davallergies.com
 Website: davallergies.com

DAV®

2% MINOXIDIL HAIR GROWTH SERUM



Restore thinning hair
 Reduce hair loss
 Stimulate hair regrowth
 Nourish scalp

60 ml / 2.03 fl. oz.

HOW TO USE

STEP 1
For scalp
 Direct* and the scalp with four sprays from the back to the crown to the frontal region (see the drawing).

STEP 2
 Massage with your hand to evenly distribute the lotion (apply pressure, so that blood flow can increase for both scalp and beard).

Manufactured for
 Good Manager Holding Inc.
 21 Tama Vista Blvd #207,
 Costa Mesa, CA 92626
 Email: support@davallergies.com
 Website: davallergies.com

94*72mm

DAV®

2% MINOXIDIL HAIR GROWTH SERUM



60 ml / 2.03 fl. oz.

HOW TO USE

STEP 1
For scalp
 Direct* and the scalp with four sprays from the back to the crown to the frontal region (see the drawing).

STEP 2
 Massage with your hand to evenly distribute the lotion (apply pressure, so that blood flow can increase for both scalp and beard).

Warnings:
 For external use only. Keep out of the reach of children. Store in a cool dry place.

CAUTIONS:
 Do not use if you have the following conditions:
 - Pregnancy
 - Fainting
 - History of heart sensitivity
 - Super-sensitive skin
 - Flaking skin around the hairline

DISCLAIMER:
 2% MINOXIDIL Topical solution for regrowth treatment reacts with hair follicles to stimulate growth. Clinically proven to help regrow hair.

64MM * 102MM

DAV®

2% MINOXIDIL HAIR GROWTH SERUM



Restore thinning hair
 Reduce hair loss
 Stimulate hair regrowth
 Nourish scalp

IMPORTANT NOTICES
 You will notice increased hair loss in the first 2-4 weeks of the treatment. This is normal since the body is getting rid of the dead hair shafts to make room for new healthy ones.

If you derma roll, don't apply it afterward since that can cause irritation.
 In the first two weeks of usage, you will notice your hair will get oily because of the lotion. It will get back to normal. Don't overwash, and let the body regulate its natural production.

You can wash your head multiple times per week, but don't use any shampoo, just use water and massage.
 If you have any concerns about the side effects of the Minoxidil, please consult with your doctor.

DAV®

Active ingredient — 2% MINOXIDIL

OTHER INGREDIENTS
 WATER, MICHAMBISE, GLYCERIN, BUTYLENE GLYCOL, PANTHENOL, DISODIUM EDTA, 3- β -ETHYL ASCORBIC ACID, ROSA CANINA FRUIT OIL, SODIUM HYALURONATE, CAPILA LONGA, MALUS DOMESTICA FRUIT CELL CULTURE EXTRACT, CENTELLA ASIATICA ROOT EXTRACT, HYDROXYACETOPHENONE, 1,3-HEXANEDIOL.

HOW DOES 2% MINOXIDIL WORK?
 The 2% MINOXIDIL is designed to dilate blood vessels and improve the flow of blood to the area. It's applied to the hair follicles, which promotes the growth of thicker, stronger hair. In addition, the topical treatment shortens the resting phase of hair growth, which means your hair stays in the growth phase longer.

132*37*37mm

Other information
 This product is not for use on children or infants.
 For more information on product safety, visit www.davallergies.com.
 This product is not for use on children or infants.
 For more information on product safety, visit www.davallergies.com.

Active ingredient
 Minoxidil 2%
 Purpose
 Treats hair loss

Other ingredients
 Water, Minoxidil, Glycerin, Butylene Glycol, Panthenol, Disodium EDTA, 3- β -Ethinyl Ascorbic Acid, Rosa Canina Fruit Oil, Sodium Phosphates, Caprylic Acid, Malus Domestica Fruit Cell Culture Extract, Centella Asiatica Root Extract, Hydroxyacetone, Nonyl Alcohol, Hexanediol.

How does it work?
 The 2% Minoxidil is designed to dilate blood vessels and improve the flow of blood to the area it's applied. It improves their ability to deliver nutrients and oxygen to the hair follicles, which promotes the growth of thicker, stronger hair. In addition, the topical treatment shortens the resting phase of hair growth, which means your hair stays in the growth phase longer.

Important notices
 You will notice increased hair loss in the first 2-4 weeks of the treatment. This is normal since the body is getting rid of the dead hair shafts to make room for new healthy ones.
 If you have any concerns about the side effects of the Minoxidil, please consult with your doctor.

How to use
 For external use only.
 Apply out of the reach of children.
 Store in a cool dry place.

Caution
 Do not use if you have the following conditions:
 - Pregnancy
 - Feeding
 - History of heart sensitivity
 - Super-sensitive skin
 - History of skin rash

Directions
 Apply to the scalp with four sprays from the back to the crown to the frontal region.
 Do not use if you have the following conditions:
 - Pregnancy
 - Feeding
 - History of heart sensitivity
 - Super-sensitive skin
 - History of skin rash

Keep out of reach of children and pets.
 If swallowed, get medical help or call a poison control center at 1-800-422-4643. Do not use if you are pregnant or breastfeeding. Do not use if you are allergic to any of the ingredients. Do not use if you have a history of heart disease or if you are taking any medicine that affects the heart.

Address: 11 Tama Vista Blvd #207, Costa Mesa, CA 92625
Email: support@davallergies.com
Website: davallergies.com

2% MINOXIDIL HAIR GROWTH SERUM

Restore thinning hair
 Reduce hair loss
 Stimulate hair newborn
 Nourish scalp

60 ml / 2.03 fl. oz.

HOW TO USE

STEP 1
For scalp
 Directly on the scalp with four sprays from the back to the crown to the frontal region (see the drawing).

STEP 2
 Massage with your hand to evenly distribute the Minoxidil properly, so that blood flow can increase for both scalp and beard.

Manufactured for:
Good Manager Holding Inc.
Address: 11 Tama Vista Blvd #207, Costa Mesa, CA 92625
Email: support@davallergies.com
Website: davallergies.com

94*72mm

2% MINOXIDIL HAIR GROWTH SERUM

Restore thinning hair
 Reduce hair loss
 Stimulate hair newborn
 Nourish scalp

60 ml / 2.03 fl. oz.

HOW TO USE

STEP 1
For scalp
 Directly on the scalp with four sprays from the back to the crown to the frontal region (see the drawing).

STEP 2
 Massage with your hand to evenly distribute the Minoxidil properly, so that blood flow can increase for both scalp and beard.

Manufactured for:
Good Manager Holding Inc.
Address: 11 Tama Vista Blvd #207, Costa Mesa, CA 92625
Email: support@davallergies.com
Website: davallergies.com

64MM * 102MM

2% MINOXIDIL HAIR GROWTH SERUM

Restore thinning hair
 Reduce hair loss
 Stimulate hair newborn
 Nourish scalp

HOW DOES 2% MINOXIDIL WORK?
 The 2% Minoxidil is designed to dilate blood vessels and improve the flow of blood to the area it's applied. It improves their ability to deliver nutrients and oxygen to the hair follicles, which promotes the growth of thicker, stronger hair. In addition, the topical treatment shortens the resting phase of hair growth, which means your hair stays in the growth phase longer.

Important notices
 You will notice increased hair loss in the first 2-4 weeks of the treatment. This is normal since the body is getting rid of the dead hair shafts to make room for new healthy ones.
 If you have any concerns about the side effects of the Minoxidil, please consult with your doctor.

How to use
 For external use only.
 Apply out of the reach of children.
 Store in a cool dry place.

Caution
 Do not use if you have the following conditions:
 - Pregnancy
 - Feeding
 - History of heart sensitivity
 - Super-sensitive skin
 - History of skin rash

Directions
 Apply to the scalp with four sprays from the back to the crown to the frontal region.
 Do not use if you have the following conditions:
 - Pregnancy
 - Feeding
 - History of heart sensitivity
 - Super-sensitive skin
 - History of skin rash

Keep out of reach of children and pets.
 If swallowed, get medical help or call a poison control center at 1-800-422-4643. Do not use if you are pregnant or breastfeeding. Do not use if you are allergic to any of the ingredients. Do not use if you have a history of heart disease or if you are taking any medicine that affects the heart.

Address: 11 Tama Vista Blvd #207, Costa Mesa, CA 92625
Email: support@davallergies.com
Website: davallergies.com

2% MINOXIDIL HAIR GROWTH SERUM

Restore thinning hair
 Reduce hair loss
 Stimulate hair newborn
 Nourish scalp

HOW DOES 2% MINOXIDIL WORK?
 The 2% Minoxidil is designed to dilate blood vessels and improve the flow of blood to the area it's applied. It improves their ability to deliver nutrients and oxygen to the hair follicles, which promotes the growth of thicker, stronger hair. In addition, the topical treatment shortens the resting phase of hair growth, which means your hair stays in the growth phase longer.

Important notices
 You will notice increased hair loss in the first 2-4 weeks of the treatment. This is normal since the body is getting rid of the dead hair shafts to make room for new healthy ones.
 If you have any concerns about the side effects of the Minoxidil, please consult with your doctor.

How to use
 For external use only.
 Apply out of the reach of children.
 Store in a cool dry place.

Caution
 Do not use if you have the following conditions:
 - Pregnancy
 - Feeding
 - History of heart sensitivity
 - Super-sensitive skin
 - History of skin rash

Directions
 Apply to the scalp with four sprays from the back to the crown to the frontal region.
 Do not use if you have the following conditions:
 - Pregnancy
 - Feeding
 - History of heart sensitivity
 - Super-sensitive skin
 - History of skin rash

Keep out of reach of children and pets.
 If swallowed, get medical help or call a poison control center at 1-800-422-4643. Do not use if you are pregnant or breastfeeding. Do not use if you are allergic to any of the ingredients. Do not use if you have a history of heart disease or if you are taking any medicine that affects the heart.

Address: 11 Tama Vista Blvd #207, Costa Mesa, CA 92625
Email: support@davallergies.com
Website: davallergies.com

132*37*37mm

Other information
 This product is not for use on children or infants.
 For more information on product safety, visit www.davallergies.com.
 This product is not for use on children or infants.
 For more information on product safety, visit www.davallergies.com.

Active ingredient
 Minoxidil 2%
 Purpose
 Treats hair loss

Other ingredients
 Water, Minoxidil, Glycerin, Butylene Glycol, Panthenol, Disodium EDTA, 3- β -Ethinyl Ascorbic Acid, Rosa Canina Fruit Oil, Sodium Phosphates, Caprylic Acid, Malus Domestica Fruit Cell Culture Extract, Centella Asiatica Root Extract, Hydroxyacetone, Nonyl Alcohol, Hexanediol.

How does it work?
 The 2% Minoxidil is designed to dilate blood vessels and improve the flow of blood to the area it's applied. It improves their ability to deliver nutrients and oxygen to the hair follicles, which promotes the growth of thicker, stronger hair. In addition, the topical treatment shortens the resting phase of hair growth, which means your hair stays in the growth phase longer.

Important notices
 You will notice increased hair loss in the first 2-4 weeks of the treatment. This is normal since the body is getting rid of the dead hair shafts to make room for new healthy ones.
 If you have any concerns about the side effects of the Minoxidil, please consult with your doctor.

How to use
 For external use only.
 Apply out of the reach of children.
 Store in a cool dry place.

Caution
 Do not use if you have the following conditions:
 - Pregnancy
 - Feeding
 - History of heart sensitivity
 - Super-sensitive skin
 - History of skin rash

Directions
 Apply to the scalp with four sprays from the back to the crown to the frontal region.
 Do not use if you have the following conditions:
 - Pregnancy
 - Feeding
 - History of heart sensitivity
 - Super-sensitive skin
 - History of skin rash

Keep out of reach of children and pets.
 If swallowed, get medical help or call a poison control center at 1-800-422-4643. Do not use if you are pregnant or breastfeeding. Do not use if you are allergic to any of the ingredients. Do not use if you have a history of heart disease or if you are taking any medicine that affects the heart.

Address: 11 Tama Vista Blvd #207, Costa Mesa, CA 92625
Email: support@davallergies.com
Website: davallergies.com

2% MINOXIDIL HAIR GROWTH SERUM

Restore thinning hair
 Reduce hair loss
 Stimulate hair newborn
 Nourish scalp

60 ml / 2.03 fl. oz.

HOW TO USE

STEP 1
For scalp
 Directly on the scalp with four sprays from the back to the crown to the frontal region (see the drawing).

STEP 2
 Massage with your hand to evenly distribute the Minoxidil properly, so that blood flow can increase for both scalp and beard.

Manufactured for:
Good Manager Holding Inc.
Address: 11 Tama Vista Blvd #207, Costa Mesa, CA 92625
Email: support@davallergies.com
Website: davallergies.com

94*72mm

2% MINOXIDIL HAIR GROWTH SERUM

Restore thinning hair
 Reduce hair loss
 Stimulate hair newborn
 Nourish scalp

60 ml / 2.03 fl. oz.

HOW TO USE

STEP 1
For scalp
 Directly on the scalp with four sprays from the back to the crown to the frontal region (see the drawing).

STEP 2
 Massage with your hand to evenly distribute the Minoxidil properly, so that blood flow can increase for both scalp and beard.

Manufactured for:
Good Manager Holding Inc.
Address: 11 Tama Vista Blvd #207, Costa Mesa, CA 92625
Email: support@davallergies.com
Website: davallergies.com

64MM * 102MM

2% MINOXIDIL HAIR GROWTH SERUM

Restore thinning hair
 Reduce hair loss
 Stimulate hair newborn
 Nourish scalp

HOW DOES 2% MINOXIDIL WORK?
 The 2% Minoxidil is designed to dilate blood vessels and improve the flow of blood to the area it's applied. It improves their ability to deliver nutrients and oxygen to the hair follicles, which promotes the growth of thicker, stronger hair. In addition, the topical treatment shortens the resting phase of hair growth, which means your hair stays in the growth phase longer.

Important notices
 You will notice increased hair loss in the first 2-4 weeks of the treatment. This is normal since the body is getting rid of the dead hair shafts to make room for new healthy ones.
 If you have any concerns about the side effects of the Minoxidil, please consult with your doctor.

How to use
 For external use only.
 Apply out of the reach of children.
 Store in a cool dry place.

Caution
 Do not use if you have the following conditions:
 - Pregnancy
 - Feeding
 - History of heart sensitivity
 - Super-sensitive skin
 - History of skin rash

Directions
 Apply to the scalp with four sprays from the back to the crown to the frontal region.
 Do not use if you have the following conditions:
 - Pregnancy
 - Feeding
 - History of heart sensitivity
 - Super-sensitive skin
 - History of skin rash

Keep out of reach of children and pets.
 If swallowed, get medical help or call a poison control center at 1-800-422-4643. Do not use if you are pregnant or breastfeeding. Do not use if you are allergic to any of the ingredients. Do not use if you have a history of heart disease or if you are taking any medicine that affects the heart.

Address: 11 Tama Vista Blvd #207, Costa Mesa, CA 92625
Email: support@davallergies.com
Website: davallergies.com

2% MINOXIDIL HAIR GROWTH SERUM

Restore thinning hair
 Reduce hair loss
 Stimulate hair newborn
 Nourish scalp

HOW DOES 2% MINOXIDIL WORK?
 The 2% Minoxidil is designed to dilate blood vessels and improve the flow of blood to the area it's applied. It improves their ability to deliver nutrients and oxygen to the hair follicles, which promotes the growth of thicker, stronger hair. In addition, the topical treatment shortens the resting phase of hair growth, which means your hair stays in the growth phase longer.

Important notices
 You will notice increased hair loss in the first 2-4 weeks of the treatment. This is normal since the body is getting rid of the dead hair shafts to make room for new healthy ones.
 If you have any concerns about the side effects of the Minoxidil, please consult with your doctor.

How to use
 For external use only.
 Apply out of the reach of children.
 Store in a cool dry place.

Caution
 Do not use if you have the following conditions:
 - Pregnancy
 - Feeding
 - History of heart sensitivity
 - Super-sensitive skin
 - History of skin rash

Directions
 Apply to the scalp with four sprays from the back to the crown to the frontal region.
 Do not use if you have the following conditions:
 - Pregnancy
 - Feeding
 - History of heart sensitivity
 - Super-sensitive skin
 - History of skin rash

Keep out of reach of children and pets.
 If swallowed, get medical help or call a poison control center at 1-800-422-4643. Do not use if you are pregnant or breastfeeding. Do not use if you are allergic to any of the ingredients. Do not use if you have a history of heart disease or if you are taking any medicine that affects the heart.

Address: 11 Tama Vista Blvd #207, Costa Mesa, CA 92625
Email: support@davallergies.com
Website: davallergies.com

132*37*37mm

DAV®

2% MINOXIDIL HAIR GROWTH SERUM

Restore thinning hair
Reduce hair loss
Stimulate hair newborn
Nursing scalp

60 ml / 2.03 fl. oz.

HOW TO USE

STEP 1
For scalp
Direct* jet the scalp with four sprays from the back to the crown to the frontal region (see the drawing)

STEP 2
Massage with your hand to evenly distribute the lotion (apply pressure, so that blood flow can increase for both scalp and beard)

WARNING:
For external use only
Keep out of the reach of children.
Store in a cool dry place.

CAUTIONS:
Do not use if you have the following conditions:
Pregnant
Feeding
History heart sensibility
Super-sensitive skin
History open wound

DISCUSSION:
2% MINOXIDIL Topical solution for regrowth treatment recidivates hair follicles to stimulate growth clinically proven to help regrow hair.

OTHER INFORMATION
This spray will stimulate on cortex and hair growth. It contains regrowth information. For regrowth information, please refer to the back of the box. For regrowth information, please refer to the back of the box. For regrowth information, please refer to the back of the box.

ACTIVE INGREDIENT
Minoxidil 2%
Purpose: Stimulate hair growth

HOW TO USE
Do not use if you have been told to do so by your doctor. Do not use if you have been told to do so by your doctor. Do not use if you have been told to do so by your doctor.

KEEP OUT OF REACH OF CHILDREN AND PETS.
Keep out of reach of children and pets. It contains regrowth information. For regrowth information, please refer to the back of the box. For regrowth information, please refer to the back of the box. For regrowth information, please refer to the back of the box.

DAV®

94*72mm

DAV®

2% MINOXIDIL HAIR GROWTH SERUM

Restore thinning hair
Reduce hair loss
Stimulate hair newborn
Nursing scalp

60 ml / 2.03 fl. oz.

HOW TO USE

STEP 1
For scalp
Direct* jet the scalp with four sprays from the back to the crown to the frontal region (see the drawing)

STEP 2
Massage with your hand to evenly distribute the lotion (apply pressure, so that blood flow can increase for both scalp and beard)

WARNING:
For external use only
Keep out of the reach of children.
Store in a cool dry place.

CAUTIONS:
Do not use if you have the following conditions:
Pregnant
Feeding
History heart sensibility
Super-sensitive skin
History open wound

DISCUSSION:
2% MINOXIDIL Topical solution for regrowth treatment recidivates hair follicles to stimulate growth clinically proven to help regrow hair.

OTHER INFORMATION
This spray will stimulate on cortex and hair growth. It contains regrowth information. For regrowth information, please refer to the back of the box. For regrowth information, please refer to the back of the box. For regrowth information, please refer to the back of the box.

ACTIVE INGREDIENT
Minoxidil 2%
Purpose: Stimulate hair growth

HOW TO USE
Do not use if you have been told to do so by your doctor. Do not use if you have been told to do so by your doctor. Do not use if you have been told to do so by your doctor.

KEEP OUT OF REACH OF CHILDREN AND PETS.
Keep out of reach of children and pets. It contains regrowth information. For regrowth information, please refer to the back of the box. For regrowth information, please refer to the back of the box. For regrowth information, please refer to the back of the box.

DAV®

64MM * 102MM

DAV®

2% MINOXIDIL HAIR GROWTH SERUM

Restore thinning hair
Reduce hair loss
Stimulate hair newborn
Nursing scalp

60 ml / 2.03 fl. oz.

HOW TO USE

STEP 1
For scalp
Direct* jet the scalp with four sprays from the back to the crown to the frontal region (see the drawing)

STEP 2
Massage with your hand to evenly distribute the lotion (apply pressure, so that blood flow can increase for both scalp and beard)

WARNING:
For external use only
Keep out of the reach of children.
Store in a cool dry place.

CAUTIONS:
Do not use if you have the following conditions:
Pregnant
Feeding
History heart sensibility
Super-sensitive skin
History open wound

DISCUSSION:
2% MINOXIDIL Topical solution for regrowth treatment recidivates hair follicles to stimulate growth clinically proven to help regrow hair.

OTHER INFORMATION
This spray will stimulate on cortex and hair growth. It contains regrowth information. For regrowth information, please refer to the back of the box. For regrowth information, please refer to the back of the box. For regrowth information, please refer to the back of the box.

ACTIVE INGREDIENT
Minoxidil 2%
Purpose: Stimulate hair growth

HOW TO USE
Do not use if you have been told to do so by your doctor. Do not use if you have been told to do so by your doctor. Do not use if you have been told to do so by your doctor.

KEEP OUT OF REACH OF CHILDREN AND PETS.
Keep out of reach of children and pets. It contains regrowth information. For regrowth information, please refer to the back of the box. For regrowth information, please refer to the back of the box. For regrowth information, please refer to the back of the box.

DAV®

DAV®

Active ingredient — 2% MINOXIDIL

OTHER INGREDIENTS
WATER, MICHAMIDE, GLYCERIN, BUTYLENE GLYCOL, PANTHENOL, DISCOLUM EDTA, 3-β-ETHYL ASCORBIC ACID, ROSA CANINA FRUIT OIL, SODIUM PHOSPHATE, CAPILA LONGA, MALUS DOMESTICA FRUIT CELL CULTURE EXTRACT, CENTELLA ASIATICA ROOT EXTRACT, HYDROXYKETOPHENONE, 1,3-HEXANEDIOL.

HOW DOES 2% MINOXIDIL WORK?
The 2% MINOXIDIL is designed to dilate blood vessels and improve the flow of blood to the area. It's applied to improve their ability to deliver nutrients and oxygen to the hair follicles. Minoxidil also helps increase the size of hair follicles, which promotes the growth of thicker, stronger hair. In addition, the topical treatment shortens the resting phase of hair growth, which means your hair stays in the growth phase longer.

IMPORTANT NOTICES
You will notice increased hair loss in the first 2-4 weeks of the treatment. This is normal since the body is getting rid of the dead hair shafts to make room for new healthy ones.
If you derma roll, don't apply it afterward since that can cause irritation.
In the first two weeks of usage, you will notice your hair will get oily because of the lotion. It will get back to normal. Don't overwash, and let the body regulate its natural production.
You can wash your head multiple times per week, but don't use any shampoo, just use water and massage.
If you have any concerns about the side effects of the Minoxidil, please consult with your doctor.

132*37*37mm

DAV®

2% MINOXIDIL HAIR GROWTH SERUM

Restore thinning hair
Reduce hair loss
Stimulate hair newborn
Nursing scalp

60 ml / 2.03 fl. oz.

HOW TO USE

STEP 1
For scalp
Direct* jet the scalp with four sprays from the back to the crown to the frontal region (see the drawing)

STEP 2
Massage with your hand to evenly distribute the lotion (apply pressure, so that blood flow can increase for both scalp and beard)

WARNING:
For external use only
Keep out of the reach of children.
Store in a cool dry place.

CAUTIONS:
Do not use if you have the following conditions:
Pregnant
Feeding
History heart sensibility
Super-sensitive skin
History open wound

DISCUSSION:
2% MINOXIDIL Topical solution for regrowth treatment recidivates hair follicles to stimulate growth clinically proven to help regrow hair.

OTHER INFORMATION
This spray will stimulate on cortex and hair growth. It contains regrowth information. For regrowth information, please refer to the back of the box. For regrowth information, please refer to the back of the box. For regrowth information, please refer to the back of the box.

ACTIVE INGREDIENT
Minoxidil 2%
Purpose: Stimulate hair growth

HOW TO USE
Do not use if you have been told to do so by your doctor. Do not use if you have been told to do so by your doctor. Do not use if you have been told to do so by your doctor.

KEEP OUT OF REACH OF CHILDREN AND PETS.
Keep out of reach of children and pets. It contains regrowth information. For regrowth information, please refer to the back of the box. For regrowth information, please refer to the back of the box. For regrowth information, please refer to the back of the box.

DAV®

94*72mm

DAV®

2% MINOXIDIL HAIR GROWTH SERUM

Restore thinning hair
Reduce hair loss
Stimulate hair newborn
Nursing scalp

60 ml / 2.03 fl. oz.

HOW TO USE

STEP 1
For scalp
Direct* jet the scalp with four sprays from the back to the crown to the frontal region (see the drawing)

STEP 2
Massage with your hand to evenly distribute the lotion (apply pressure, so that blood flow can increase for both scalp and beard)

WARNING:
For external use only
Keep out of the reach of children.
Store in a cool dry place.

CAUTIONS:
Do not use if you have the following conditions:
Pregnant
Feeding
History heart sensibility
Super-sensitive skin
History open wound

DISCUSSION:
2% MINOXIDIL Topical solution for regrowth treatment recidivates hair follicles to stimulate growth clinically proven to help regrow hair.

OTHER INFORMATION
This spray will stimulate on cortex and hair growth. It contains regrowth information. For regrowth information, please refer to the back of the box. For regrowth information, please refer to the back of the box. For regrowth information, please refer to the back of the box.

ACTIVE INGREDIENT
Minoxidil 2%
Purpose: Stimulate hair growth

HOW TO USE
Do not use if you have been told to do so by your doctor. Do not use if you have been told to do so by your doctor. Do not use if you have been told to do so by your doctor.

KEEP OUT OF REACH OF CHILDREN AND PETS.
Keep out of reach of children and pets. It contains regrowth information. For regrowth information, please refer to the back of the box. For regrowth information, please refer to the back of the box. For regrowth information, please refer to the back of the box.

DAV®

64MM * 102MM

DAV®

2% MINOXIDIL HAIR GROWTH SERUM

Restore thinning hair
Reduce hair loss
Stimulate hair newborn
Nursing scalp

60 ml / 2.03 fl. oz.

HOW TO USE

STEP 1
For scalp
Direct* jet the scalp with four sprays from the back to the crown to the frontal region (see the drawing)

STEP 2
Massage with your hand to evenly distribute the lotion (apply pressure, so that blood flow can increase for both scalp and beard)

WARNING:
For external use only
Keep out of the reach of children.
Store in a cool dry place.

CAUTIONS:
Do not use if you have the following conditions:
Pregnant
Feeding
History heart sensibility
Super-sensitive skin
History open wound

DISCUSSION:
2% MINOXIDIL Topical solution for regrowth treatment recidivates hair follicles to stimulate growth clinically proven to help regrow hair.

OTHER INFORMATION
This spray will stimulate on cortex and hair growth. It contains regrowth information. For regrowth information, please refer to the back of the box. For regrowth information, please refer to the back of the box. For regrowth information, please refer to the back of the box.

ACTIVE INGREDIENT
Minoxidil 2%
Purpose: Stimulate hair growth

HOW TO USE
Do not use if you have been told to do so by your doctor. Do not use if you have been told to do so by your doctor. Do not use if you have been told to do so by your doctor.

KEEP OUT OF REACH OF CHILDREN AND PETS.
Keep out of reach of children and pets. It contains regrowth information. For regrowth information, please refer to the back of the box. For regrowth information, please refer to the back of the box. For regrowth information, please refer to the back of the box.

DAV®

DAV®

Active ingredient — 2% MINOXIDIL

OTHER INGREDIENTS
WATER, MICHAMIDE, GLYCERIN, BUTYLENE GLYCOL, PANTHENOL, DISCOLUM EDTA, 3-β-ETHYL ASCORBIC ACID, ROSA CANINA FRUIT OIL, SODIUM PHOSPHATE, CAPILA LONGA, MALUS DOMESTICA FRUIT CELL CULTURE EXTRACT, CENTELLA ASIATICA ROOT EXTRACT, HYDROXYKETOPHENONE, 1,3-HEXANEDIOL.

HOW DOES 2% MINOXIDIL WORK?
The 2% MINOXIDIL is designed to dilate blood vessels and improve the flow of blood to the area. It's applied to improve their ability to deliver nutrients and oxygen to the hair follicles. Minoxidil also helps increase the size of hair follicles, which promotes the growth of thicker, stronger hair. In addition, the topical treatment shortens the resting phase of hair growth, which means your hair stays in the growth phase longer.

IMPORTANT NOTICES
You will notice increased hair loss in the first 2-4 weeks of the treatment. This is normal since the body is getting rid of the dead hair shafts to make room for new healthy ones.
If you derma roll, don't apply it afterward since that can cause irritation.
In the first two weeks of usage, you will notice your hair will get oily because of the lotion. It will get back to normal. Don't overwash, and let the body regulate its natural production.
You can wash your head multiple times per week, but don't use any shampoo, just use water and massage.
If you have any concerns about the side effects of the Minoxidil, please consult with your doctor.

2% MINOXIDIL HAIR REGROWTH SERUM

hair loss product spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82372-002
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MINOXIDIL (UNII: 5965120SH1) (MINOXIDIL - UNII:5965120SH1)	MINOXIDIL	2 g in 100 mL

Registrant - good manager holdings inc. (118382673)

Establishment

Name	Address	ID/FEI	Business Operations
good manager holdings inc.		118382673	manufacture(82372-002)

Revised: 10/2023

good manager holdings inc.